

CONIFERS							TREES and SHRUBS							GRAMINOIDS						
	1	2	3	4	5	6		1	2	3	4	5	6		1	2	3	4	5	6
Abies balsamea							+ Rosa multiflora							Agrostis gigantea						
Juniperus communis							Rosa							Agrostis stolonifera						
Juniperus virginiana							Rubus alleghaniensis							Agropyron repens						
Larix laricina							Rubus idaeus		X					Alopecurus						
Picea abies							Rubus occidentalis							Bromus inermis		X				
Picea glauca							Rubus odoratus							Calamagrostis canadensis						
Pinus resinosa		P					Rubus pubescens							Carex arctata						
Pinus strobus		P					Salix alba							Carex aurea						
Pinus sylvestris							Salix amygdaloides			X				Carex bebbii						
Thuja occidentalis		X					Salix babingtonii							Carex blanda						
Tsuga canadensis							+ Salix discolor							Carex gracillima						
							Salix eriocephala							Carex granulata						
							Salix nigra							Carex hystericina						
							Salix lucida							Carex pennsylvanica						
							Salix petiolaris							Carex radiata						
TREES and SHRUBS	-	-	-	-	-	-	+ Salix purpurea							Carex retrorsa						
Acer negundo		X					Salix x rubens							Carex stipata						
Acer rubrum							+ Salix							Carex stricta						
Acer saccharinum							Sambucus canadensis							Carex vulpinoidea						
Acer saccharum		X					Sambucus racemosa							Carex						
Acer spicatum							Sorbus aucuparia							Carex						
Ahorn rugosa							Spiraea alba							Carex						
Amelanchier		X					Syringa vulgaris			X				Carex						
Berberis thunbergii							+ Tibia americana							Carex						
Betula alleghaniensis							Ulmus americana							Carex						
Betula papyrifera							Ulmus							Carex						
Carpinus caroliniana							Vaccinium							Carex						
Carya cordiformis		X					Viburnum lentago							Carex						
Celastrus scandens							Viburnum opulus			X				Cyperus						
Cornus alternifolia							Viburnum							Cyperus						
Cornus amomum			X				Vitis riparia			X				Dactylis glomerata			X			
Cornus rugosa		X												Danthonia spicata						
Cornus stolonifera														Echinochloa crus-galli						
Corylus cornuta														Eleocharis acicularis						
Crataegus mollis														Eleocharis						
Crataegus punctata														Elymus virginicus						
Crataegus sp.														Elymus						
Crataegus														Festuca arundinacea						
Diervilla lonicera														Glyceria striata						
Fagus grandifolia														Glyceria						
Fraxinus americana		X												Juncus doylei						
Fraxinus nigra							FERNS							Juncus effusus						
Fraxinus pennsylvanica		X					Adiantum pedatum							Juncus tenuis			X			
Ilex verticillata							Athyrium filix-femina							Juncus						
Juglans cinerea							Botrychium multifidum							Juncus						
Juglans nigra							Botrychium virginicum							Leersia oryzoides						
Lonicera morrowi							Cystopteris bulbifera							Matthiola						
Lonicera tatarica							Dryopteris caroliniana							Oryzopsis asperifolia						
Lonicera							Dryopteris cristata							Panicum						
Morus pumila		X					Dryopteris marginalis							Panicum						
Ostrya virginiana							Equisetum							Panicum						
Parthenocissus litoralis		X					Equisetum arvense							Panicum						
Populus balsamifera							Equisetum hyemale							Panicum						
Populus grandidentata							Equisetum variegatum							Panicum						
Populus tremuloides							Equisetum							Panicum						
Populus							Gymnocarpium dryopteris							Panicum						
Prunus pennsylvanica							Lycopodium digitatum							Panicum						
Prunus serotina		X					Lycopodium obscurum							Panicum						
Prunus virginiana		X					Lycopodium							Panicum						
Prunus avium		X					Lycopodium							Panicum						
Quercus macrocarpa							Lycopodium							Panicum						
Quercus rubra							Matricaria struthiopteris							Panicum						
Quercus							Osmunda cinnamomea							Panicum						
Rhamnus cathartica		X					Osmunda cinnamomea							Panicum						
Rhus typhina		X					Osmunda cinnamomea							Panicum						
Ribes americana				X			Pteridium aquilinum							Panicum						
Ribes cynosbati							Thelypteris palustris							Panicum						
Ribes x rubrum														Panicum						
Robinia pseudo-acacia														Panicum						



ELC

Community Description and Classification

Site: 379 GSH430

Polygon: 12 (MANZ-2)

Surveyor(s): Sean Pette + Tom Smalley

Date: April 23, 2012

Time start: 8:30am

Time finish: 10:10am

UTMZ: 451950

UTMZ: 4804676

UTMN:

Polygon Description

System	Substrate	Topographic Feature	Plant Form	Community
☐ Terrestrial ☐ Wetland ☐ Aquatic	☐ Organic ☒ Mineral Soil ☐ Parent Min. ☐ Acidic Bedrk ☐ Basic Bedrk ☐ Carb. Bedrk	☐ Lacustrine ☐ Riverine ☐ Bottomland ☐ Terrace ☐ Valley Slope ☒ Tableland ☐ Roll. Upland ☐ Cliff ☐ Talus ☐ Crevice/Cave ☐ Alvar ☐ Rockland ☐ Beach / Bar ☐ Sand Dune ☐ Bluff	☐ Plankton ☐ Submerged ☐ Floating-LVD. ☒ Graminoid ☐ Forb ☐ Lichen ☐ Bryophyte ☐ Deciduous ☐ Coniferous ☐ Mixed	☐ Lake ☐ Pond ☐ River ☐ Stream ☒ Marsh ☐ Swamp ☐ Fen ☐ Bog ☐ Barren ☐ Meadow ☐ Prairie ☐ Thicket ☐ Savannah ☐ Woodland ☐ Forest ☐ Plantation
☐ Open Water ☐ Shallow Water ☐ Surficial Dep. ☐ Bedrock				
☒ History ☐ Natural ☐ Cultural				
☒ Open ☐ Shrub ☐ Treed				

Stand Description

Layer	HT	CVR	Species In Order of Decreasing Dominance (up to 4 sp) (> Much Greater Than; > Greater Than; = About Equal To)
1	1	1	SALICINA > AGENECA
2			
3	5	3	CORSA
4	6	4	PHACUM > IMPATIENS CAPSICIS > ALLIUM > CACEXIO

HT Codes: 7 <0.2m 8 >0.2-0.5m 9 >0.5-1m 4 >1-2m 3 >2-8m 2 >8-25m 1 >25m
CVR Codes: 0 = none 1 0% - 10% 2 10% - 25% 3 25% - 50% 4 > 50%

Stand Composition:	Size Class Analysis:	Standing Snags:	Deadfall / Logs:
	<10	<10	<10
	10-24	10-24	10-24
	25-50	25-50	25-50
	>50	>50	>50

BA: Abundance Codes: N = None R = Rare O = Occasional A = Abundant

Com. Age:	☐ Pioneer	☒ Young	☐ Mid-Age	☐ Mature	☐ Old Growth
-----------	----------------------------------	---	----------------------------------	---------------------------------	-------------------------------------

Ecosite:	Code:
Vegetation Type:	Code: MANZ-2
Inclusion:	Code:
Centiplex:	Code:

Community Profile Diagram/Comments

Need canopy grass

Mineral Meadow Marsh

Notes:

— could not hit second layer

Page 1 of 3

Trees & Shrubs	1	2	3	4	5	Tree & Shrubs	1	2	3	4	5	Graminoids	1	2	3	4	5
Conifers						Deciduous						Grasses					
Balsam Fir (<i>Abies balsamea</i>)						White Oak (<i>Quercus alba</i>)						Giant Redtop (<i>Agrostis cana</i>)					
Common Juniper (<i>Juniperus communis</i>)						Bur Oak (<i>Quercus macrocarpa</i>)						Redtop (<i>Agrostis stolonifera</i>)					
Eastern Red Cedar (<i>Juniperus virginiana</i>)						Red Oak (<i>Quercus rubra</i>)						Awless Brome (<i>Bromus nemis</i>)					
Tamarack (<i>Larix laricina</i>)						Alder Buckthorn (<i>Rhamnus alnifolia</i>)						<i>Bromus</i>					
Norway Spruce (<i>Picea abies</i>)						Common Buckthorn (<i>Rhamnus cathartica</i>)						Blue Joint Grass (<i>Calamagrostis canadensis</i>)					
White Spruce (<i>Picea glauca</i>)						Smooth Sumac (<i>Rhus glabra</i>)						Orchard Grass (<i>Dactylis glomerata</i>)					
Black Spruce (<i>Picea mariana</i>)						Staghorn Sumac (<i>Rhus hirta</i>)						Povey Oat Grass (<i>Danthonia spicata</i>)					
Jack Pine (<i>Pinus banksiana</i>)						Wild Black Currant (<i>Ribes americanum</i>)						Quack Grass (<i>Elymus repens</i>)					
Red Pine (<i>Pinus resinosa</i>)						Prickly Gooseberry (<i>Ribes coccineum</i>)						Virginia Wild Rye (<i>Elymus virginicus</i>)					
Eastern White Pine (<i>Pinus strobus</i>)						Swamp Black Currant (<i>Ribes lacustre</i>)						<i>Elymus</i>					
Scotch Pine (<i>Pinus sylvestris</i>)						Red Currant (<i>Ribes rubrum</i>)						Fowl Manna Grass (<i>Glyceria striata</i>)					
Canada Yew (<i>Taxus canadensis</i>)						<i>Ribes</i>						<i>Glyceria</i>					
Eastern White Cedar (<i>Thuja occidentalis</i>)						Black Locust (<i>Robinia pseudo-acacia</i>)						Rice Cut Grass (<i>Leersia oryzoides</i>)					
Eastern Hemlock (<i>Tsuga canadensis</i>)						Prickly Rose (<i>Rosa acicularis</i>)						Tall Fescue (<i>Lolium arundinaceum</i>)					
						Smooth Rose (<i>Rosa blanda</i>)						<i>Muhlenbergia</i>					
						Multiflora Rose (<i>Rosa multiflora</i>)						Witch Grass (<i>Panicum capillare</i>)					
						Rose						<i>Panicum</i>					
						Com. Blackberry (<i>Rubus allegheniensis</i>)						Reed Canary Grass (<i>Phalaris arundinacea</i>)					
						Wild Red Raspberry (<i>Rubus idaeus</i>)						Timothy (<i>Phleum pratense</i>)					
						Black Raspberry (<i>Rubus occidentalis</i>)						Common Reed (<i>Phragmites australis</i>)					
						Purple-fl. Raspberry (<i>Rubus odoratus</i>)						Canada Blue Grass (<i>Poa compressa</i>)					
						Dwarf Raspberry (<i>Rubus rubescens</i>)						Fowl Meadow Grass (<i>Poa multistris</i>)					
						<i>Rubus</i>						Kentucky Bluegrass (<i>Poa pratensis</i>)					
						Peach-leaved Willow (<i>Salix amygdaloides</i>)						Yellow Foxtail (<i>Setaria pumila</i>)					
						Bebb's Willow (<i>Salix bebbiana</i>)						Green Foxtail (<i>Setaria viridis</i>)					
						Pussy Willow (<i>Salix discolor</i>)											
						Missouri Willow (<i>Salix eriocephala</i>)											
						Sandbar Willow (<i>Salix eximia</i>)											
						Shining Willow (<i>Salix lucida</i>)											
						Black Willow (<i>Salix nigra</i>)											
						Slender Willow (<i>Salix petiolaris</i>)											
						<i>Salix</i>											
						Hybrid Crack Willow (<i>Salix X rubens</i>)											
						Black-berried Elder (<i>Sambucus nigra</i>)											
						Red-berried Elder (<i>Sambucus racemosa</i>)											
						Buffaloberry (<i>Shepherdia canadensis</i>)											
						Eur. Mountain Ash (<i>Sorbus aucuparia</i>)											
						Narrow Meadow-sweet (<i>Spiraea alba</i>)											
						Common Lilac (<i>Syringa vulgaris</i>)											
						Poison-ivy (<i>Toxicodendron radicans</i>)											
						Climbing Poison-ivy (<i>Toxicodendron radicans</i>)											
						White Elm (<i>Ulmus americana</i>)											
						Siberian Elm (<i>Ulmus pumila</i>)											
						Slippery Elm (<i>Ulmus rubra</i>)											
						Low Blueberry (<i>Vaccinium angustifolium</i>)											
						Maple-leaf Viburnum (<i>Viburnum acerifolium</i>)											
						Hobblebush (<i>Viburnum lentanoides</i>)											
						Nannyberry (<i>Viburnum lentanoides</i>)											
						Gelder-Rose (<i>Viburnum opulus</i>)											
						Downy Arrow-wood (<i>Vib. rafinesquianum</i>)											
						Riverbank Grass (<i>Vitis riparia</i>)											
						Am. Prickly-ash (<i>Zanthoxylum americanum</i>)											
													</				

Page 2 of 2

D - Dominant represented by large numbers, generally forming >10% ground cover or >25% vegetation cover in any one stratum
F - Fairly common (=Abundant in ELC) generally widespread represented by fairly large numbers of individual mounds, usually forming >10% ground cover
U - Uncommon (=Occasional in ELC) present as widespread scattered individuals or represented by one or more mounds if many individuals (most species will fall into this category)
R - Rare represented in the polycow by less than about five individuals or small clumps

Map Number:	1	MAMZ-2	4
Date:	2	CUP3-1	6
Surveyors:	3		

Significant Wildlife Habitat Form

AECOM

Study Area:	BLW	JER	<u>GSH</u>	Map #:	<u>359-GSH1430</u>
Date:	<u>24/04/2012</u>			Time Started:	<u>8:30</u>
Field Staff:	<u>Tom Shorney Jess Piette</u>			Time Finished:	<u>10:10</u>
Weather Conditions: <u>cloudy, 3°C, 45 km/h winds</u>					

Colonial Nesting Tree/Shrub Birds, Osprey Breeding/Feeding, Bald Eagle Breeding/Nesting Habitat
(FET1, FOC, FOM, FOD, SWC, SWM, SWD)

Nest bowls present: ☒ **No** ☐ **Yes (if yes, photograph and complete the following)**

UTMs: _____ Number of nests: _____

Description of nests (location, e.g. in tree/on built structure; material; evidence of recent use; birds present): _____

Description of habitat (note riparian areas if present, evidence of disturbance): _____

Waterfowls Stopover/Nesting, Amphibian Breeding, Turtle Nesting/Over-wintering, Marsh Breeding Birds
(CUM1, CUT1, MAM, MAS, SAS1, SAM1, SAF1, SWD, SWT1, SWT2) (FOC, FOM, FOD, SWC, SWM, SWD, BOO1, FE01)

Standing water present: ☐ **No** ☒ **Yes (if yes, photograph and complete the following)**

UTMs: See Amphibian Form ☒ **Area of standing water delineated on field map**

Water depth (m): _____ % open water: _____ % emergent vegetation: _____

Description of standing water (permanent pool, evidence of annual spring flooding, etc): _____

Area and soil/substrate of shoreline habitat: _____

Type and abundance of cover in open water habitat: _____

Type and abundance of cover in surrounding habitat: _____

Evidence of disturbance (e.g. cattle grazing): _____

Evidence of use by waterfowl, amphibians, turtles (e.g. broken eggs), marsh breeding birds: _____

*****Complete Vernal Pool Habitat Description Form*****

Snake Hibernacula

Fissured rock/foundation or rock/debris pile present: ☒ **No** ☐ **Yes (if yes, photograph and complete the following)**

UTMs: _____ Likelihood to extend below frost line: _____

% canopy cover: _____ % slope: _____ Distance to open canopy (m): _____

Description of fissure or stone pile (composition/material, dimenstions, etc): _____

Description of surrounding habitat (type & abundance of cover, evidence of disturbance, etc): _____

Seeps and Springs (FOC, FOM, FOD, SWC, SWM, SWD)

Evidence of seep or spring: ☒ **No** ☐ **Yes (if yes, photograph and complete the following)**

UTMs: _____ Description (indicator species, etc): _____

NHA Site Investigation - Significant Wildlife Habitat Form

AECOM

Colonial Nesting Bird Breeding Habitat (Bank and Cliff Swallows)

(CUM1, CUT1, CUS, BLO1, BLS1, BLT1, CLO1, CLS1, CLT1)

Eroding bank, sandy hill, pits, steep slope or rock face present:

☒ No

☐ Yes (if yes, photograph and complete the following)

UTMs:

Location (e.g. aggregate pit, bridge):

Evidence of use by bank or cliff swallows (provide number of nests):

Colonial Nesting Ground Breeding Birds, Shorebird Migratory Stopover Areas

(BBO1, BBO2, BBS1, BBS2, BBT1, BBT2, SDO1, SDS2, SDT1, MAM1, MAM2, MAM3, MAM4, MAM5)

Shoreline of lake, large river or large wetland present:

☒ No

☐ Yes (if yes, photograph and complete the following)

UTMs:

Rocky island or peninsula present:

Mudflat present:

Evidence of disturbance (e.g. cattle grazing):

Description of habitat (size of rocky outcrop/mudflat, substrate/soil type, type and abundance of cover):

Raptor Winter Feeding and Roosting, Open Country or Shrub/Early Successional Bird Breeding Habitat

CUT1, CUS1, >30ha, CUM1 >30ha, FOC, FOD, FOM with a CUM, CUT, CUS, CUW > 20ha, or a CUM, CUS, CUT, CUW >15ha

Large meadow, old field or generally open habitat (e.g. CUM, CUS, CUT, CUS, CUW) present:

Large open habitat present: ☒ No

☐ Yes (if yes, photograph and complete the following)

UTMs:

Evidence of disturbance (e.g. cattle grazing):

Description of habitat (abundance of food plants for rodents, abundance of perches, height of vegetation):

Old-growth or Mature Forests, Interior Forest Breeding Birds

(FOD, FOC, FOM, SWC, SWM, SWD. Mature forest (>60 years) present)

Mature forest present: ☒ No

☐ Yes (if yes, photograph and complete the following)

UTMs:

Age of oldest trees:

Evidence of disturbance (e.g. selective cutting):

Description of habitat (structural complexity, abundance of snags and/or downed woody debris, etc):

Photo #	Location or Subject	Photo #	Location or Subject

Species of Conservation Concern Habitat and Incidental Wildlife – Goshen

AECOM

ELC	Species	Habitat Description	Habitat Present (Y/N; UTM; description of habitat if present)
CUM1, MAM, FOD6, FOD7, FOD9	Green Dragon (<i>Arisaema dracontium</i>) - SC/S3 <u>Bloom Time - May and June</u>	Species found in damp deciduous forest and along river streams. Particularly Maple forest and forest dominated by Red Ash and White Elm.	Y (N) UTM:
TPO1, TPS1, TPW1, FOM1, FOM2, FOD1, FOD2, FOD3	Hairy Bedstraw (<i>Galium pilosum</i>) - S3 <u>Bloom Time - June-August</u>	Occurs in dry, sandy woods and thickets; occasionally in dry sandy fields	Y N UTM:
FEOT, FES1, FET1, SWC, SWM, SWD, SWT, TPO, TPS, TPW	Hairy Valerian (<i>Valeriana edulis</i>) - S1 <u>Bloom Time - June to August</u>	Inhabits swampy river flats and meadows, wet prairies, and wooded, rocky overbanks and fens.	Y (N) UTM:
FOD6, FOD7, SWM, SWD	Hairy Wood Mint (<i>Blephilia hirsuta</i>) - S1 <u>Bloom Time - Summer</u>	Woodlands, often rocky, especially rivers. Rich woods, swamp forests, floodplains.	Y (N) UTM:
FOD6, FOD7, FOD8, FOD9	Harbinger-of-spring (<i>Eriogonum bulbosum</i>) - S3 <u>Bloom Time - early to late April</u>	Occurs in rich, moist deciduous woods, especially on floodplains.	Y (N) UTM:
SAS1, SAM1, SAF1	Hill's Pond Weed (<i>Potamogeton hillii</i>) - SC/S2 <u>Bloom Time - Summer</u>	Aquatic plant found in highly alkaline waters of ditches, ponds, beaver ponds, and slow-moving cold waters.	Y (N) UTM:
FOM6, FOM7, FOM8	Large Round-leaved Orchid (<i>Platanthera macrophylla</i>) - S2 <u>Bloom Time - June to August</u>	Species inhabits moist mixed woods. Found in fairly mature, upland sugar maple-beech-eastern hemlock woodlands.	Y (N) UTM:
MAM2, MAM3, MAS2, MAS3, SWD	Lizard's Tail (<i>Saururus cernuus</i>) - S3 <u>Bloom Time - June - September</u>	Species inhabits shores and streambanks along shallow water. As well as swamps, floodplains, shallow water and mudflats at the borders of streams and ponds.	Y (N) UTM:
FOD6, FOD7, FOD9	Pawpaw (<i>Asimina triloba</i>) - S3 <u>Bloom Time - March-May</u>	Occurs in moist deciduous woods and stream banks.	Y (N) UTM:
FOM8, FOD6, FOD7, FOD9, CUM1	Pilose Evening Primrose (<i>Oenothera pilosella</i>) - S2 <u>Bloom Time - Late Spring - Early Summer</u>	Moist edges of woods and open, disturbed ground.	Y (N) UTM:
TPW1, FOM1, FOM2, FOD1, FOD2, FOD3	Prostrate Tick-trefoil (<i>Desmodium rotundifolium</i>) - S2 <u>Bloom Time - July-September</u>	Dry, sandy or rocky woods	Y (N) UTM:
FOD7, SWD	Pumpkin Ash (<i>Fraxinus profunda</i>) - S2? <u>Bloom Time - March - June</u>	Swamps and floodplains	Y (N) UTM:
CUW1, ALO, FET1, SWC	Ram's-head Lady's-slipper (<i>Cypripedium arietinum</i>) - S3 <u>Bloom Time - mid May to mid June</u>	Found in cedar woodlands, limestone plains and wooded fens, moist coniferous swamps, dry-sandy woods, and limestone barren.	Y (N) UTM:
FOD1, FOD2, FOD3, FOD4, FOD5, FOC1, FOM1, FOM5	Rattlesnake Hawkweed (<i>Hieracium venosum</i>) - S2 <u>Bloom Time - April - September</u>	Species inhabits open, dry sandy woods. Jack pine, oak, and aspen woodlands.	Y (N) UTM:
FOD6, FOD7, FOD9	Round-leaved Groundsel (<i>Packera obovata</i>) - S3 <u>Bloom Time - May - June</u>	Found in moist woods	Y (N) UTM:
CUM1, CUT1, CUS1	Round-leaved hawthorn (<i>Crataegus lumaria</i>) - S3?	Species occurs in old fields, poorly managed pastures, fencelines and roadsides	Y (N) UTM:
FOD6, FOD7, FOD8, FOD9, SWT2, SWT3	Scarlet Beebalm (<i>Monarda didyma</i>) - S3 <u>Bloom Time - May to October</u>	Found in moist, rich woods, thicket swamps, banks and floodplains.	Y (N) UTM:
ALO, ALS, ALT, TPO, TPS, TPW	Slender Blazing Star (<i>Liatris cylindracea</i>) - S3	Species occurs in limestone and dolostone pavement, prairies, open woods, alvars and moist sandy meadows.	Y (N) UTM:
SBO, SBS, SBT, TPO1, TPS1, TPW1, FOD1, FOD2	Slender Knotweed (<i>Polygonum tenue</i>) - S2	Found in dry, sandy, open areas in deciduous (often oak woods), prairie meadows; at edges of sand pits	Y (N) UTM:
SDT1, FOD5, FOD9	Slim-flowered Muhly (<i>Muhlenbergia tenuiflora</i>) - S2	Found in rich deciduous forest, often on rocky or sandy soils, wooded dunes, hillsides, and riverbanks whether in oak or beech-maple woods	Y (N) UTM:
BLO1, BLS1, BLT1, TPO2, TPS2, TPW2, MAM2, FOD7	Stiff Gentian (<i>Gentiana quinquefolia</i>) - S2 <u>Bloom Time - late summer to mid fall</u>	Found in moist soils of streambanks, edges of woods wet prairies, marshy meadows, bluffs and wooded hillsides.	Y (N) UTM: N/A
TPS1, TPW1, CUW1, RBO, SBO	Sundial Lupine (<i>Lupinus perennis</i>) - S3 <u>Bloom Time - mid-March to mid-June</u>	Inhabits dry, sandy oak savannahs, prairies, open barrens or clearings in woodlands of oak, jack pine, and/or aspen.	Y (N) UTM:

Species Conservation Concern Habitat and Incidental Wildlife – Goshen

ATM

ELC	Species	Habitat Description	Habitat Present (Y/N; UTM; description of habitat if present)
TPO1, TPS1, TPW1, CUM1	Tall Blazing Star (<i>Liatris aspera</i>) - S3/SC	Occurs in open, sandy woods, dry roadsides and sandy prairies	Y (N) UTM:
FE0, FES, FET, MAM2, MAM3	Tuberous Indian Plantain (<i>Amorhossium plantagineum</i>) - S3 Bloom Time - mid-March to mid-June	Occurs mainly in flat, sandy areas of the Bruce Peninsula. Fens, wet meadows, and calcareous river flats.	Y (N) UTM:
FOC1, FOC2, FOC3, FOC4	Woodland Pinedrops (<i>Pterospora andromedea</i>) - S2 Bloom Time - summer	Found in conifer woods, under pines, but also hemlock, spruce, fir, and white cedar. In dry or rocky soil, often with common juniper and sometimes aspen or birch.	Y (N) UTM:
CUM1, CUT1, CUW1, RBO1, SBO1	Yellow Ladies'-tresses (<i>Spiranthes ochroleuca</i>) - S2 Bloom Time - August to November	Dry, open sites, usually on acidic sandy soil, dry to mesic open woodland, thickets, meadows, barrens, ledges, outcrops, banks and roadsides, old fields.	Y (N) UTM:
BIRDS			
-	Bald Eagle (<i>Haliaeetus leucocephalus</i>) - SC	Assessed as SWH. Record species if found.	not required.
CUW, SDO, RBO, TPS	Common Nighthawk (<i>Chordeiles minor</i>) - SC	Hunts insects over a wide variety of habitats, in particular open or semi-open areas. Nests on ground in a wide range of open, sparse or vegetation-free habitats.	Y (N) UTM:
FOD, FOM	Louisiana Waterthrush (<i>Seiurus motacilla</i>) - SC	Inhabits mature forests along steeply sloped ravines adjacent to running water. Trees, bushes, exposed roots, cliffs, banks and mossy logs are favoured nesting spots. Riparian woodlands are preferred stopover sites during migration	Y (N) UTM:
FOD, CUW, CUT	Red-headed Woodpecker (<i>Melanerpes erythrocephalus</i>) - SC	Species inhabits open woodland/ edges (oak savannahs and riparian forest), open, deciduous forest with little understory, fields or pasture lands with scattered large trees; wooded swamps; orchards, small woodlots or forest edges; groves of dead or dying trees; requires cavity trees with at least 40 cm dbh; requires about 4 ha for a territory.	Y (N) UTM:
-	Short Eared Owl (<i>Asio flammeus</i>) - SC	Assessed as SWH. Record species if found.	not required.
CUT1	Yellow-breasted Chat (<i>Icteria virens</i>) - SC	Inhabits thickets, tall tangles of shrubbery beside streams, ponds; overgrown bushy clearings with deciduous thickets; nests above ground in bush, vines	Y (N) UTM:
REPTILES			
-	Eastern Ribbonsnake (<i>Thamnophis sauritus</i>) - SC	Assessed as SWH. Record species if found.	not required.
-	Milksnake (<i>Lampropeltis triangulum</i>) - SC	Assessed as SWH. Record species if found.	not required.
-	Snapping Turtle (<i>Chelydra serpentina</i>) - SC	Assessed as SWH. Record species if found.	not required.
INSECTS			
OAO, SA, SWM, SWD	Azure Bluet (<i>Enallagma aspersum</i>) - S3	Species inhabits fishless ponds, lakes and boggy swamps	Y (N) UTM:
TPS, TPW	Sleepy Duskywing (<i>Erynnis brize</i>) - S1	Occurs in oak/oak-pine scrub, chaparral, barrens, well-drained sandy or shaly soils. Species regularly seen at flowers in oak woods, on the ground, and at mud puddles	Y (N) UTM:
CUM1, CUT1, CUW1	Monarch Butterfly (<i>Danaus plexippus</i>) - SC	Their larvae only feed on milkweeds (<i>Asclepius</i> spp.). Habitat includes abandoned farmland, along roadsides, open spaces where these plants grow	Y (N) UTM:
TPS, CUW	Mottled Duskywing (<i>Erynnis martialis</i>) - S2	Usually seen nectaring or on wet sandy reads. Larvae feeds on New Jersey Tea and adults only likely near where this plant is present	Y (N) UTM:
SWT, SWD, SWM, FOM, FOD4-3, TPW, TPS, CUM1	Tawny Emperor (<i>Asterocampa clyten</i>) - S3	Species inhabits densely wooded riparian areas, dry woods, open woods, fencerows and parks. Usually occurs near Hackberry, the larval foodplant	Y (N) UTM:
FOD5	West Virginia White (<i>Pieris virginianensis</i>) - SC	This species is restricted to rich, moist, deciduous woods, where its foodplant Toothwort occur	Y (N) UTM:

Wetland Data Collection Sheet

AECOM

Study area: <u>Goshen</u>	Map No: <u>379- GSH 1430</u>
Date (yyyy-mm-dd): <u>2012-04-24</u>	Time Started: <u>8:30</u>
Field Staff: <u>T.S. J.P.</u>	Time Finished: <u>10:10</u>

Presence of Groundwater	No ☒	Yes ☐	<u>Jewell weed present, but no other were found</u>
☐ bank seepage	☐ iron staining	☐ groundwater indicator	

Site Type	Lacustrine ☐ (associated with lakes) Riverine ☐ (associated with rivers) Palustrine ☒ absent or intermittent inflow and either intermittent or permanent outflow	Isolated ☐ what are the water inputs and outputs? <u>Drainage feature - possibly from agricultural practices</u>
-----------	--	--

Soils	refer to ELC card for soils information
-------	---

% open Water	
Type 1 - <5% ☐ Type 2 - 5-25% ☐ (water occurring in one central location) Type 3 - 5-25% ☒ (water occurring in ponds of various sizes) Type 4 - 26-75% ☐ (water occurring in a central location)	Type 5 - 26-75% ☐ (water occurring in a small pattern) Type 6 - 76-95% ☐ (occurring in a central location, vegetation is peripheral) Type 7 - 76-95% ☐ (vegetation occurs in patches or diffuse, open stands) Type 8 - >95% ☐ (water occupies over 95% of the area)

Community Descriptions			
Vegetation forms			
h (deciduous trees)	ne (narrow leaved emergents)	ts (tall shrubs 1-6m)	f (aquatic with floating leaf)
c (coniferous trees)	be (broad leaved emergents)	ls (low shrubs up to 1m)	ff (free floating)
dh (dead deciduous trees)	gc (ground cover)	ds (dead shrubs)	su (all under water)
dc (dead coniferous trees)	m (mosses)	re (robust emergents)	u (unvegetated)

Map Code/ ELC Code	Community Description - list at least four dominant species for each form
<u>Man 2-2</u> <u>M1</u>	<u>NE - Phalaris Amm, carex sp</u> <u>gc - Imp cape, All Petio</u> <u>IS - Corrus seti</u>

Wetland Data Collection Sheet



Notes on Ecological Functions or features

should include notes on: furbearer, cranberries, wild rice, baitfish, bullfrogs, winter cover for wildlife, suitability for waterfowl breeding staging, moulting, evidence of recreational activities, disturbance, surrounding topography (flat, rolling, hilly, steep), and surrounding habitat diversity

Feature 392

65H1003

65H1005

3

65H1007

Leased

Road


65H1008

Leased

160 Meters

80

40



VASCULAR PLANT CHECKSHEET

Location: 392 GSH 1007

Date: Nov. 29, 2011

Observer: Jdm TS

Job Number:

DICOT HERBS												MONOCOT HERBS												
1	2	3	4	5	6	1	2	3	4	5	6	1	2	3	4	5	6	1	2	3	4	5	6	
Achillea millefolia						Erigeron annuus						Plantago lanceolata						Allium plantago-aquatica						
Actaea pachypoda						Erigeron philadelphicus						Plantago major						Allium tricoccum						
Actaea rubra						Erigeron strigosus						Plantago rugelii						Allium						
Agalinus						Erysimum cheiranthoides						Podophyllum peltatum						Arisaema triphyllum						
Agrimonia gryposepala						Eupatorium maculatum						Polygonum						Asparagus officinalis						
Alliaria petiolaris						Eupatorium perfoliatum						Polygonum						Calla palustris						
Amaranthus retroflexus						Eupatorium rugosum						Polygonum						Clintonia borealis						
Ambrosia artemisiifolia						Euphorbia						Polygonum lapathifolium						Corwallaria majus						
Amphicarpaea bracteata						Euthamia graminifolia						Polygonum persicaria						Cypripedium calceolus						
Anaphalis margaritacea						Fragaria virginiana						Potentilla						Elodea canadensis						
Anemone						Fragaria vesca						Potentilla norvegica						Epipactis helleborine						
Anemone canadensis						Galeopsis tetrahit						Potentilla recta						Erythronium americanum						
Anemone virginiana						Gallium						Prenanthes alba						Hemerocallis fulva						
Antennaria neglecta						Gallium						Prunella vulgaris						Iris versicolor						
Apocynum androsaemifolium						Gallium palustre						Pyrola elliptica						Lemna minor						
Apocynum cannabinum						Gallium triflorum						Ranunculus						Lemna trisulca						
Aquilegia canadensis						Geranium maculatum						Ranunculus abortivus						Lilium						
Aralia nudicaulis						Geranium robertianum						Ranunculus acris						Maianthemum canadense						
Arctium minus						Geum aleppicum						Rudbeckia hirta						Maianthemum racemosa						
Artemisia						Geum canadense						Rumex acetosella						Maianthemum stellata						
Asarum canadense						Geum						Rumex crispus						Pieteria						
Asclepias incarnata						Glecoma hederacea						Rumex						Portulaca cordata						
Asclepias syriaca						Hepatica acutiloba						Sanguinaria canadensis						Polygnum pubescens						
Aster						Hesperis matronalis						Sanicula marilandica						Potamogeton crispus						
Aster cordifolius						Hieracium aurantiacum						Saponaria officinalis						Potamogeton pectinatus						
Aster ericoides						Hieracium caespitosum						Satureja vulgaris						Potamogeton						
Aster lanceolatus						Hieracium						Scutellaria galericulata						Potamogeton						
Aster lateriflorus						Hydrophyllum virginianum						Silene vulgaris						Potamogeton						
Aster macrophyllus						Hypericum perforatum						Slum suave						Sagittaria latifolia						
Aster novae-angliae						Impatiens capensis						Solanum dulcamara						Sisyrinchium montanum						
Aster puniceus						Inula helenium						Solidago						Smilax herbacea						
Barbarea vulgaris						Lactuca						Solidago altissima						Spiranthes cernua						
Bidens cernua						Laportea canadensis						Solidago caesia						Spirodela polyrrhiza						
Bidens frondosa						Lapsana communis						Solidago canadensis						Streptopus roseus						
Boehmeria cylindrica						Leonurus cardiaca						Solidago flexicaulis						Trillium erectum						
Callitha palustris						Lepidium						Solidago gigantea						Trillium grandiflorum						
Calystegia sepium						Linaria vulgaris						Solidago nemoralis						Uvularia grandiflora						
Cardamine diphylla						Lithospermum officinale						Solidago rugosa												
Cardamine						Lobelia						Sonchus arvensis												
Caulophyllum thalictroides						Lobelia inflata						Sonchus asper												
Cerastium fontanum						Lotus corniculatus						Stellaria												
Ceratophyllum demersum						Lycopus americanus						Tanacetum vulgare												
Chelidonium majus						Lycopus						Taraxacum officinale												
Chenopodium album						Lysimachia ciliata						Thalictrum dioicum												
Chrysanth. leucanthemum						Lythrum salicaria						Thalictrum pubescens												
Cichorium intybus						Medicago lupulina						Tiarella cordifolia												
Cicuta						Medicago sativum						Tragopogon pratensis												
Circaea leutetiana						Melilotus alba						Trientalis borealis												
Cirsium arvense						Mentha arvensis						Trifolium												
Cirsium vulgare						Mimulus ringens						Trifolium pratense												
Clematis virginiana						Mimulus ringens						Trifolium repens												
Clintonia borealis						Mitella diphylla						Tussilago farfara												
Coryza canadensis						Monarda fistulosa						Urtica dioica												
Coronilla varia						Myosotis						Utricularia vulgaris												
Cynanchum rossicum						Nasturtium officinale						Verbascum thapsus												
Cynoglossum officinale						Nepeta cataria						Verbena hastata												
Daucus carota						Nuphar variegatum						Verbena urticifolia												
Desmodium canadense						Nymphaea odorata						Veronica												
Dianthus amurens						Oenothera biennis						Veronica officinalis												
Dipsacus fullorum						Osmorhiza						Viola cracca												
Echinocystis lobata						Oxalis stricta						Viola tetrasperma												
Echium vulgare						Phytma leptostachya						Viola												
Epilobium						Physalis heterophylla						Viola												
Epilobium ciliatum												Viola pubescens												
Epilobium hirsutum												Viola sororia												
Epilobium parviflorum																								

1: _____
2: _____
3: _____

4: _____
5: _____
6: _____

SITE LOCATIONS

1	CONIFERS						1	2	3	4	5	6	TREES and SHRUBS						1	2	3	4	5	6	GRAMINOIDS						1	2	3	4	5	6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
	Abies balsamea						+	Rosa multiflora																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		</



VASCULAR PLANT LIST

PROJECT / LOCATION: FEATURE 392

POLYGON: 4.

SURVEYOR(S): B. Miller, R. Aitken DATE(S): DEC. 12, 2011

VEGETATION TYPE:

NOTES:

Plant Species	ABUNDANCE / LAYER				Plant Species	Understory (U)	Ground Layer (GL)	Plant Species	Understory (U)	Ground Layer (GL)
	Canopy (C)	Sub-canopy (SC)	Understory (U)	Ground Layer (GL)						
TREES					HERBACEOUS FLORA			HERBACEOUS FLORA		
TIL AMER	O	O	R		SYM LATE		O			
ACESASA	D	D	D	D	GEUM SP.		O			
PRU SERO	R		R		ALL PETI		R			
FAG GRAN	A	A	A	R	ARC MINU		R			
FRA AMER	O	O	O	R	CAREX CF. ARCTATA		R			
ULM AMER	R		R		DRY MARG		R			
TSU CANA	R	O	R	R	LEO CARD		R			
OST VIRG		R	O	R	SOL FLEX		R			
BETALLE	R				ACT PACH		R			
CAR CARO			O	R	CAUTHAL		O			
CAR CORD			R		EPI VIRG		A			
					CIR LUTE		R			
					CAREX SP.		O			
					POL ACRO		R			
					ALL TRIC		O			
					POL PUBE		R			
					</					

VASCULAR PLANT LIST

PROJECT / LOCATION: FEATURE 392

SURVEYOR(S): B. Miller, R. Aitken DATE(S): DEC. 12, 2011

POLYGON: 5.

VEGETATION TYPE:

NOTES:

[illegible]

Relative Abundance: D = Dominant; A = Abundant; O = Occasional; R = Rare
Vegetation Height: C = > 20m; SC = 10 - 20m; U = 2 - 10m; GL = < 2m

VASCULAR PLANT CHECKSHEET

Location: **FEATURE 392**

Date: Dec. 12, 2011

Observer: B. Miller, R. Aitken

Job Number:[illegible]

SITE LOCATIONS

- 1:
- 2:
- 3:

4: POLYGON 4.
5: POLYGON 5.
6:

(e/c community description/forms/1-all-forms/042004)

Page 1 of 2

Trees & Shrubs	1	2	3	4	5	Tree & Shrubs	1	2	3	4	5	Graminoids	1	2	3	4
Conifers						Deciduous						Grasses				
Balsam Fir (<i>Abies balsamea</i>)						White Oak (<i>Quercus alba</i>)						Giant Redtop (<i>Agrostis gigantea</i>)				
Common Juniper (<i>Juniperus communis</i>)						Bur Oak (<i>Quercus macrocarpa</i>)						Redtop (<i>Agrostis stolonifera</i>)				
Eastern Red Cedar (<i>Juniperus virginiana</i>)						Red Oak (<i>Quercus rubra</i>)						Awnless Brome (<i>Bromus inermis</i>)				
Tamarack (<i>Larix laricina</i>)						Alder Buckthorn (<i>Rhamnus alnifolia</i>)						<i>Bromus</i>				
Norway Spruce (<i>Picea abies</i>)						Common Buckthorn (<i>Rhamnus cathartica</i>)						Blue-joint Grass (<i>Calamagrostis canadensis</i>)				
White Spruce (<i>Picea glauca</i>)						Smooth Sumac (<i>Rhus glabra</i>)						Orchard Grass (<i>Dactylis glomerata</i>)				
Black Spruce (<i>Picea mariana</i>)						Staghorn Sumac (<i>Rhus hirta</i>)						Poverty Oat Grass (<i>Danthonia spicata</i>)				
Jack Pine (<i>Pinus banksiana</i>)						Wild Black Currant (<i>Ribes americanum</i>)						Quack Grass (<i>Elymus repens</i>)				
Red Pine (<i>Pinus resinosa</i>)						Prickly Gooseberry (<i>Ribes cynosbati</i>)						Virginia Wild Rye (<i>Elymus virginicus</i>)				
Eastern White Pine (<i>Pinus strobus</i>)						Swamp Black Currant (<i>Ribes lacustre</i>)						<i>Elymus</i>				
Scotch Pine (<i>Pinus sylvestris</i>)						Red Currant (<i>Ribes rubrum</i>)										
Canada Yew (<i>Taxus canadensis</i>)						<i>Ribes</i>						Fowl Manna Grass (<i>Glyceria striata</i>)				
Eastern White Cedar (<i>Thuja occidentalis</i>)						Black Locust (<i>Robinia pseudo-acacia</i>)						<i>Glyceria</i>				
Eastern Hemlock (<i>Tsuga canadensis</i>)						Prickly Rose (<i>Rosa acicularis</i>)						Rice Cut Grass (<i>Leersia oryzoides</i>)				
						Smooth Rose (<i>Rosa blanda</i>)						Tall Fescue (<i>Lolium arundinaceum</i>)				
						Multiflora Rose (<i>Rosa multiflora</i>)						<i>Muhlenbergia</i>				
						<i>Rosa</i>						Witch-grass (<i>Panicum capillare</i>)				
Deciduous																
Manitoba Maple (<i>Acer negundo</i>)						Com. Blackberry (<i>Rubus allegheniensis</i>)						<i>Panicum</i>				
Black Maple (<i>Acer nigrum</i>)						Wild Red Raspberry (<i>Rubus idaeus</i>)						Reed Canary Grass (<i>Phalaris arundinacea</i>)				
Norway Maple (<i>Acer platanoides</i>)						Black Raspberry (<i>Rubus occidentalis</i>)						Timothy (<i>Phleum pratense</i>)				
Red Maple (<i>Acer rubrum</i>)						Purple-fl. Raspberry (<i>Rubus odoratus</i>)						Common Reed (<i>Phragmites australis</i>)				
Silver Maple (<i>Acer saccharinum</i>)						Dwarf Raspberry (<i>Rubus pubescens</i>)						Canada Blue Grass (<i>Poa compressa</i>)				
Freeman's Maple (<i>Acer X freemanii</i>)						<i>Rubus</i>						Fowl Meadow Grass (<i>Poa palustris</i>)				
Sugar Maple (<i>Acer saccharum</i>)						Peach-leaved Willow (<i>Salix amygdaloides</i>)						Kentucky Bluegrass (<i>Poa pratensis</i>)				
Mountain Maple (<i>Acer spicatum</i>)						Bebb's Willow (<i>Salix bebbiana</i>)						Yellow Foxtail (<i>Setaria pumila</i>)				
Speckled Alder (<i>Alnus incana</i>)						Pussy Willow (<i>Salix discolor</i>)						Green Foxtail (<i>Setaria viridis</i>)				
Downy Serviceberry (<i>Amelanchier arborea</i>)						Missouri Willow (<i>Salix eriocephala</i>)										
Serviceberry (<i>Amelanchier sanguinea</i>)						Sandbar Willow (<i>Salix exigua</i>)										
Yellow Birch (<i>Betula alleghaniensis</i>)						Shining Willow (<i>Salix lucida</i>)										
White Birch (<i>Betula papyrifera</i>)						Black Willow (<i>Salix nigra</i>)										
European Birch (<i>Betula pendula</i>)						Slender Willow (<i>Salix petiolaris</i>)										
Blue Beech (<i>Carpinus caroliniana</i>)						<i>Salix</i>										
Bitternut hickory (<i>Carya cordiformis</i>)						Hybrid Crack Willow (<i>Salix X rubens</i>)										
Shagbark Hickory (<i>Carya ovata</i>)						Black-berried Elder (<i>Sambucus nigra</i>)										
Climbing Bittersweet (<i>Celastrus scandens</i>)						Red-berried Elder (<i>Sambucus racemosa</i>)										
Common Hackberry (<i>Celtis occidentalis</i>)						Buffaloberry (<i>Shepherdia canadensis</i>)										
Buttonbush (<i>Cephalanthus occidentalis</i>)						Eur. Mountain Ash (<i>Sorbus aucuparia</i>)										
Ail.-leaved Dogwood (<i>Cornus alternifolia</i>)						Narrow Meadow-sweet (<i>Spiraea alba</i>)										
Silky Dogwood (<i>Cornus amomum</i>)						Common Lilac (<i>Syringa vulgaris</i>)										
Bunchberry (<i>Cornus canadensis</i>)						Poison-ivy (<i>Toxicodendron rydbergii</i>)										
Gray dogwood (<i>Cornus racemosa</i>)						Climbing Poison-ivy (<i>Toxicodendron radicans</i>)										
Round-leaved Dogwood (<i>Cornus rugosa</i>)						White Elm (<i>Ulmus americana</i>)										
Red-osier Dogwood (<i>Cornus sericea</i>)						Siberian Elm (<i>Ulmus pumila</i>)										
American Hazel (<i>Corylus americana</i>)						Slippery Elm (<i>Ulmus rubra</i>)										
Beaked Hazel (<i>Corylus cornuta</i>)						Low Blueberry (<i>Vaccinium angustifolium</i>)										
Cockspur Thorn (<i>Crataegus crus-galli</i>)						Maple-leaf Viburnum (<i>Viburnum acerifolium</i>)										
English Hawthorn (<i>Crataegus monogyna</i>)						Hobblebush (<i>Viburnum lantanoides</i>)										
Large-fruited Thorn (<i>Crataegus punctata</i>)						Nannyberry (<i>Viburnum lentago</i>)										
<i>Crataegus</i>						Guelder-Rose (<i>Viburnum opulus</i>)										
<i>Crataegus</i>						Downy Arrow-wood (<i>Vib. rafinesquianum</i>)										
Bush Honeysuckle (<i>Lonicera tatarica</i>)						Riverbank Grape (<i>Vitis riparia</i>)										
Russian Olive (<i>Elaeagnus angustifolia</i>)						Am. Prickly-ash (<i>Zanthoxylum americanum</i>)										
Autumn Olive (<i>Elaeagnus umbellata</i>)						<i>Tilia americana</i>										
Run. Strawberry-bush (<i>Euonymus obovata</i>)																
American Beech (<i>Fagus grandifolia</i>)																
Glossy Buckthorn (<i>Frangula alnus</i>)																
White Ash (<i>Fraxinus americana</i>)																
Black Ash (<i>Fraxinus nigra</i>)																
Green Ash (<i>Fraxinus pennsylvanica</i>)																
Witch-hazel (<i>Hamamelis virginiana</i>)																
Winterberry (<i>Ilex verticillata</i>)																
Butternut (<i>Juglans cinerea</i>)																
Black Walnut (<i>Juglans nigra</i>)																
Common Privet (<i>Ligustrum vulgare</i>)																
Spicebush (<i>Lindera benzoin</i>)																
Fly Honeysuckle (<i>Lonicera canadensis</i>)																
Glaucous Honeysuckle (<i>Lonicera dioica</i>)																
Morrow's Honeysuckle (<i>Lonicera morrowii</i>)																
Tartarian Honeysuckle (<i>Lonicera tatarica</i>)																
Common Apple (<i>Malus pumila</i>)																
White Mulberry (<i>Morus alba</i>)																
Sweet Gale (<i>Myrica alba</i>)																
Ironwood (<i>Ostrya virginiana</i>)																
Thicket-creeper (<i>Parthenocissus inserta</i>)																
Ninebark (<i>Physocarpus opulifolius</i>)																
Balsam Poplar (<i>Populus balsamifera</i>)																
Eastern Cottonwood (<i>Populus deltoides</i>)																
Large-tooth Aspen (<i>Populus grandidentata</i>)																
Trembling Aspen (<i>Populus tremuloides</i>)																
Sweet Cherry (<i>Prunus avium</i>)																
Pin Cherry (<i>Prunus pensylvanica</i>)																
Black Cherry (<i>Prunus serotina</i>)																
Choke Cherry (<i>Prunus virginiana</i>)																
<i>Prunus</i>																

Page 2 of 2

D - Dominant: represented by large numbers, generally forming >10% ground cover or >25% vegetation cover in any one stratum			
F - Fairly common (=Abundant in ELC): generally widespread represented by fairly large numbers of individual clumps, usually forming >10% ground cover			
U - Uncommon (=Occasional in ELC): present as widespread scattered individuals or represented by one or more clumps of many individuals (most species will fall into this category)			
R - Rare: represented in the polygon by less than about five individuals or small clumps			
Map Number: 392 GSH 1043/1060/1008	1	F005-2	4
Date: Jan 23, 2012	2	SWP 3-3 (Complex)	8
Surveyors: JP - TS	3		

Significant Wildlife Habitat Form

AECOM

Study Area:	BLW JER <u>GSH</u>	Map #:	<u>392 GSH 1043/1060/1008</u>
Date:	<u>April 23, 2012</u>	Time Started:	<u>4:07 PM</u>
Field Staff:	<u>Jess Pette + Tom Shinn</u>	Time Finished:	<u>6:00 PM</u>
Weather Conditions:	<u>50C, Cloudy - 45 km/h</u>		

Colonial Nesting Tree/Shrub Birds, Osprey Breeding/Feeding, Bald Eagle Breeding/Nesting Habitat
(FET1, FOC, FOM, FOD, SWC, SWM, SWD)

Nest bowls present: ☒ No ☐ Yes (if yes, photograph and complete the following)

UTMs: _____ Number of nests: _____

Description of nests (location, e.g. in tree/on built structure; material; evidence of recent use; birds present): _____

Description of habitat (note riparian areas if present, evidence of disturbance): _____

Waterfowls Stopover/Nesting, Amphibian Breeding, Turtle Nesting/Over-wintering, Marsh Breeding Birds
(CUM1, CUT1, MAM, MAS, SAS1, SAM1, SAF1, SWD, SWT1, SWT2) (FOC, FOM, FOD, SWC, SWM, SWD, BOO1, FEO1)

Standing water present: ☐ No ☒ Yes (if yes, photograph and complete the following)

UTMs: There are 2 pools ☒ Area of standing water delineated on field map

Water depth (m): _____ % open water: _____ % emergent vegetation: _____

Description of standing water (permanent pool, evidence of annual spring flooding, etc): see amphibian data form

Area and soil/substrate of shoreline habitat: _____

Type and abundance of cover in open water habitat: _____

Type and abundance of cover in surrounding habitat: _____

Evidence of disturbance (e.g. cattle grazing): _____

Evidence of use by waterfowl, amphibians, turtles (e.g. broken eggs), marsh breeding birds: _____

Complete Vernal Pool Habitat Description Form

Snake Hibernacula

Fissured rock/foundation or rock/debris pile present: ☒ No ☐ Yes (if yes, photograph and complete the following)

UTMs: _____ Likelihood to extend below frost line: _____

% canopy cover: _____ % slope: _____ Distance to open canopy (m): _____

Description of fissure or stone pile (composition/material, dimensions, etc): _____

Description of surrounding habitat (type & abundance of cover, evidence of disturbance, etc): _____

Seeps and Springs (FOC, FOM, FOD, SWC, SWM, SWD)

Evidence of seep or spring: ☒ No ☐ Yes (if yes, photograph and complete the following)

UTMs: _____ Description (indicator species, etc): _____

NHA Site Investigation - Significant Wildlife Habitat Form

AECOM

Colonial Nesting Bird Breeding Habitat (Bank and Cliff Swallows)

(CUM1, CUT1, CUS, BLO1, BLS1, BLT1, CLO1, CLS1, CLT1)

Eroding bank, sandy hill, pits, steep slope or rock face present:

☒ No

☐ Yes (if yes, photograph and complete the following)

UTMs: _____

Location (e.g. aggregate pit, bridge): _____

Evidence of use by bank or cliff swallows (provide number of nests): _____

Colonial Nesting Ground Breeding Birds, Shorebird Migratory Stopover Areas

(BBO1, BBO2, BBS1, BBS2, BBT1, BBT2, SDO1, SDS2, SDT1, MAM1, MAM2, MAM3, MAM4, MAMS)

Shoreline of lake, large river or large wetland present:

☒ No

☐ Yes (if yes, photograph and complete the following)

UTMs: _____

Rocky island or peninsula present: _____

Mudflat present: _____

Evidence of disturbance (e.g. cattle grazing): _____

Description of habitat (size of rocky outcrop/mudflat, substrate/soil type, type and abundance of cover): _____

Raptor Winter Feeding and Roosting, Open Country or Shrub/Early Successional Bird Breeding Habitat

CUT1, CUS1, >30ha, CUM1 >30ha, FOC, FOD, FOM with a CUM, CUT, CUS, CUW > 20ha, or a CUM, CUS, CUT, CUW>15ha

Large meadow, old field or generally open habitat (e.g. CUM, CUS, CUT, CUS, CUW) present:

Large open habitat present: ☒ No

☐ Yes (if yes, photograph and complete the following)

UTMs: _____

Evidence of disturbance (e.g. cattle grazing): _____

Description of habitat (abundance of food plants for rodents, abundance of perches, height of vegetation): _____

Old-growth or Mature Forests, Interior Forest Breeding Birds

(FOD, FOC, FOM, SWC, SWM, SWD. Mature forest (>60 years) present)

Mature forest present: ☒ No

☐ Yes (if yes, photograph and complete the following)

UTMs: _____

Age of oldest trees: _____

Evidence of disturbance (e.g. selective cutting): _____

Description of habitat (structural complexity, abundance of snags and/or downed woody debris, etc): _____

Photo #	Location or Subject	Photo #	Location or Subject

Time Started: 4:07 am

IM SHOWS

Time Finished: 6:00 PM

Observed Species List

[illegible]

Note:	Evidence Codes (EV)	Breeding Bird (Possible)	SH=Suitable Habitat, SM=Singing Male;

Breeding Bird (Probable) T=Territory, D=Display, P=Pair, N=Nest Building, V= Visiting Nest: A=Anxiety Behavior.

Breeding Bird (Confirmed)

Other Wildlife Evidence: OB=observed, VO=Vocalization, CA=Carcass, DP=Distinctive Parts, HO=House/Den, FY=Eggs/Young, TK=tracks, EE=Feeding evidence, SC=Scat, SI=Other

SPECIAL AGENTS

ELC	Species	Habitat Description	Habitat Present (Y/N); UTM; description of habitat if present)
PLANTS			
FOD7	American Gromwell (<i>Lithospermum latifolium</i>) - S3 <u>Bloom Time - Spring</u>	Shaded river banks, wooded floodplains. River floodplains, woods and edges of woods.	Y (N) UTM:
ALO, TPO	Muehlenberg's astomum moss (<i>Astomum muehlenbergianum</i>) - S2 Bloom Time - Spring	Thin soil over level outcrop ledges and on soil under grasses in open prairie	Y (N) UTM:
FOM1, FOM2, CUP3	Autumn Coral-root (<i>Corallorhiza odontorhiza</i>) - S2 <u>Bloom Time - summer to fall</u>	Oak-pine woods or occasionally in open, red pine or white pine plantations. Dry, sandy woods.	Y (N) UTM
FOC, FOM, FOD	Burning Bush (<i>Euonymus atropurpureus</i>) - S3 Bloom Time - April - June	Species occurs in dry to moist deciduous thickets and woods	Y (N) UTM not observed
SWC1, SWC3, SWC4, SWM1, SWM2, SWM4, SWM5, SWM6	Chinese Hemlock Parsley (<i>Conioselinum chinense</i>) - S2 <u>Bloom Time - summer to fall</u>	Swampy places with deciduous trees, white cedars, tamarack; springy river banks, wet borders of streams and rivers. Also found among calcareous seepage slopes.	Y (N) UTM
SWC, SWM, SWD/SWT, MAM, MAS	Crowned Beggarticks (<i>Bidens trichosperma</i>) - S2 <u>Bloom Time - late summer</u>	Found in openings in swamps, marshes, along shores & wet fields within the Carolinian zone and southeastern Georgian bay. Bogs, fens, tamarack swamps	Y (N) UTM not observed
ALT1, FOD7	Eastern Green-violet (<i>Hybanthus concolor</i>) - S2 Bloom Time - mid March to August	Occurs in rich, wet-mesic floodplain forests as well as mesic forests over limestone. Includes floodplains and river banks.	Y (N) UTM
TPS, TPW, FOM1, FOM2	Fogg's Goosefoot (<i>Chenopodium foggii</i>) - S2	Species occurs in sandy areas on limestone under oak or pine-oak forests	Y (N) UTM
TPO2, TPS2, TPW2,	Giant Ironweed (<i>Vernonia gigantea</i>) - S1? Bloom Time -	Found in mesic prairies, thickets, moist woods, roadsides and grassy meadows	Y (N) UTM

Species of Conservation Concern Habitat and Incidental Wildlife – Goshen

ELC	Species	Habitat Description	Habitat Present (Y/N; UTM; description of habitat if present)
CUM1, MAM, FOD6, FOD7, FOD9	June–August Green Dragon (<i>Arisaema dracontium</i>) - S3/S3 <u>Bloom Time</u> – May and June	Species found in damp deciduous forest and along river streams. Particularly Maple forest and forest dominated by Red Ash and White Elm.	Y (N) UTM
TPO1, TPS1, TPW1, FOM1, FOM2, FOD1, FOD2, FOD3	June–August Hairy Bedstraw (<i>Gallium pilosum</i>) - S3 <u>Bloom Time</u> – June–August	Occurs in dry, sandy woods and thickets; occasionally in dry sandy fields	Y (N) UTM
FEOT, FES1, FET1, SWC, SWM, SWD, SWT, TPO, TPS, TPW	June to August Hairy Valerian (<i>Valeriana edulis</i>) - S1 <u>Bloom Time</u> – June to August	Inhabits swampy river flats and meadows, wet prairies, and wooded, rocky riverbanks and fens.	Y (N) UTM
FOD6, FOD7, SWM, SWD	Summer Hairy Wood Mint (<i>Blephilia hirsuta</i>) - S1 <u>Bloom Time</u> – Summer	Woodlands, often rocky, especially rivers. Rich woods, swamp forests, floodplains	Y (N) UTM
FOD6, FOD7, FOD8, FOD9	Time – early to late April Harbinger-of-spring (<i>Eriogonum bulbosa</i>) - S3 <u>Bloom Time</u> – early to late April	Occurs in rich, moist deciduous woods, especially on floodplains.	Y (N) UTM
SAS1, SAM1, SAF1	Time – summer Hill's Pond Weed (<i>Potamogeton hillii</i>) - SC/S2 <u>Bloom Time</u> – summer	Aquatic plant found in highly alkaline waters of ditches, ponds, beaver ponds, and slow-moving cold waters.	Y (N) UTM
FOM6, FOM7, FOM8	S2 <u>Bloom Time</u> – June to August Large Round-leaved Orchid (<i>Platanthera macrophylla</i>) - S2 <u>Bloom Time</u> – June to August	Species inhabits moist mixed woods. Found in fairly mature, upland sugar maple-beech-eastern hemlock woodlands.	Y (N) UTM
MAM2, MAM3, MAS2, MAS3, SWD	June – September Lizard's Tail (<i>Saururus cernuus</i>) - S3 <u>Bloom Time</u> – June – September	Species inhabits shores and streambanks along shallow water. As well as swamps, floodplains, shallow water and mudflats at the borders of streams and ponds.	Y (N) UTM
FOD6, FOD7, FOD9	March–May Pawpaw (<i>Asimina triloba</i>) - S3 <u>Bloom Time</u> – March–May	Occurs in moist deciduous woods and stream banks.	Y (N) UTM
FOM8, FOD6, FOD7, FOD9, CUM1	Early Summer Pillose Evening Primrose (<i>Oenothera pilosella</i>) - S2 <u>Bloom Time</u> – Late Spring – Early Summer	Moist edges of woods and open, disturbed ground.	Y (N) UTM
TPW1, FOM1, FOM2, FOD1, FOD2, FOD3	July–September Prostrate Tick-trefoil (<i>Desmodium rotundifolium</i>) - S2 <u>Bloom Time</u> – July–September	Dry, sandy or rocky woods	Y (N) UTM
FOD7, SWD	March – June Pumpkin Ash (<i>Fraxinus profunda</i>) - S2? <u>Bloom Time</u> – March – June	Swamps and floodplains	Y (N) UTM:
CUM1, ALO, FET1, SWC	Mid June Ram's-head Lady's-slipper (<i>Cypripedium arietinum</i>) - S3 <u>Bloom Time</u> – mid May to mid June	Found in cedar woodlands, limestone plains and wooded fens, moist coniferous swamps, dry-sandy woods, and limestone barren.	Y (N) UTM
FOD1, FOD2, FOD3, FOD4, FOD5, FOC1, FOM1, FOM5	September Rattlesnake Hawkweed (<i>Hieracium venosum</i>) - S2 <u>Bloom Time</u> – April – September	Species inhabits open, dry sandy woods. Jack pine, oak, and aspen woodlands.	Y (N) UTM:
FOD6, FOD7, FOD9	June Round-leaved Groundsel (<i>Packera obovata</i>) - S3 <u>Bloom Time</u> – June	Found in moist woods	Y (N) UTM:
CUM1, CUT1, CUS1	June Round-leaved hawthorn (<i>Crataegus lumaria</i>) - S3?	Species occurs in old fields, poorly managed pastures, fencelines and roadsides	Y (N) UTM:
FOD6, FOD7, FOD8, FOD9, SWT2, SWT3	May to October Scarlet Beebalm (<i>Monarda didyma</i>) - S3 <u>Bloom Time</u> – May to October	Found in moist, rich woods, thicket swamps, banks and floodplains.	Y (N) UTM:
ALO, ALS, ALT, TPO, TPS, TPW	Slender Blazing Star (<i>Liatris cylindracea</i>) - S3	Species occurs in limestone and dolostone pavement, prairies, open woods, alvars and moist sandy meadows.	Y (N) UTM:
SBO, SBS, SBT, TPO1, TPS1, TPW1, FOD1, FOD2	S2 Slender Knotweed (<i>Polygonum tenue</i>) - S2	Found in dry, sandy, open areas in deciduous (often oak woods), prairie meadows, at edges of sand pits	Y (N) UTM:
SDT1 (FOD5, FOD9)	S2 Slim-flowered Muhly (<i>Muhlenbergia tenuiflora</i>) - S2	Found in rich-deciduous forest, often on rocky or sandy soils, wooded dunes, hillsides, and riverbanks whether in oak or beech-maple woods	Y (N) UTM: not observed
BLO1, BLS1, BLT1, TPO2, TPS2, TPW2, MAM2, FOD7	mid fall Stiff Gentian (<i>Gentiana quinquefolia</i>) - S2 <u>Bloom Time</u> – late summer to mid fall	Found in moist soils of streambanks, edges of woods, wet prairies, marshy meadows, bluffs and wooded hillsides.	Y (N) UTM:
TPS1, TPW1, CUW1, RBO, SBO	mid-March to mid-June Sundial Lupine (<i>Lupinus perennis</i>) - S3 <u>Bloom Time</u> – mid-March to mid-June	Inhabits dry, sandy oak savannahs, prairies, open barrens or clearings in woodlands of oak, jack pine, and/or aspen.	Y (N) UTM:

Species Conservation Concern Habitat and Incidental Wildlife – Goshen

ADOM

ELC	Species	Habitat Description	Habitat Present (Y/N); UTM; description or habitat if present
TP01, TPS1, TPW1, CUM1	Tall Blazing Star (<i>Liatris aspera</i>) - S3/SC	Occurs in open, sandy woods, dry roadsides and sandy prairies	Y (N) UTM:
FE0, FES, FET, MAM2, MAM3	Tuberous Indian Plantain (<i>Amorossus plantagineum</i>) - S3 Bloom Time –mid-March to mid-June	Occurs mainly in flat, sandy areas of the Bruce Peninsula. Fens, wet meadows, and calcareous river flats.	Y (N) UTM:
FOC1, FOC2, FOC3, FOC4	Woodland Pinedrops (<i>Pterospora andromedea</i>) - S2 Bloom Time – summer	Found in conifer woods, under pines, but also hemlock, spruce, fir, and white cedar. In dry or rocky soil, often with common juniper and sometimes aspen or birch.	Y (N) UTM:
CUM1, CUT1, CUW1, RBO1, SBO1	Yellow Ladies'-tresses (<i>Spiranthes ochroleuca</i>) - S2 Bloom Time – August to November	Dry, open sites, usually on acidic sandy soil, dry to mesic open woodland, thickets, meadows, barrens, ledges, outcrops, banks and roadsides, old fields.	Y (N) UTM:
BIRDS			
-	Bald Eagle (<i>Haliaeetus leucocephalus</i>) - SC	Assessed as SWH. Record species if found.	not required.
CUW, SDO, RBO, TPS	Common Nighthawk (<i>Chordeiles minor</i>) - SC	Hunts insects over a wide variety of habitats, in particular open or semi-open areas. Nests on ground in a wide range of open, sparse or vegetation-free habitats.	Y (N) UTM:
FOD, FOM	Louisiana Waterthrush (<i>Seiurus motacilla</i>) - SC	Inhabits mature forests along steeply sloped ravines adjacent to running water. Trees, bushes, exposed roots, cliffs, banks and mossy logs are favoured nesting spots. Riparian woodlands are preferred stopover sites during migration	Y (N) UTM:
FOD, CUW, CUT	Red-headed Woodpecker (<i>Melanerpes erythrocephalus</i>) - SC	Species inhabits open woodland/ edges (oak savannahs and riparian forest), open, deciduous forest with little understory, fields or pasture lands with scattered large trees; wooded swamps; orchards, small woodlots or forest edges; groves of dead or dying trees; requires cavity trees with at least 40 cm dbh; requires about 4 ha for a territory.	Y (N) UTM:
-	Short Eared Owl (<i>Asio flammeus</i>) - SC	Assessed as SWH. Record species if found.	not required.
CUT1	Yellow-breasted Chat (<i>Icteria virens</i>) - SC	Inhabits thickets, tall tangles of shrubbery beside streams, ponds; overgrown bushy clearings with deciduous thickets; nests above ground in bush, vines	Y (N) UTM:
REPTILES			
-	Eastern Ribbonsnake (<i>Thamnophis sauritus</i>) - SC	Assessed as SWH. Record species if found.	not required.
-	Milksnake (<i>Lampropeltis triangulum</i>) -SC	Assessed as SWH. Record species if found.	not required.
-	Snapping Turtle (<i>Chelydra serpentina</i>) - SC	Assessed as SWH. Record species if found.	not required.
INSECTS			
OAO, SA, SWM, SWD	Azure Bluet (<i>Enallagma aspersum</i>) -S3	Species inhabits fishless ponds, lakes and boggy swamps	Y (N) UTM:
TPS, TPW	Sleepy Duskywing (<i>Erynnis brizo</i>) - S1	Occurs in oak/oak-pine scrub, chaparral, barrens, well-drained sandy or shaly soils. Species regularly seen at flowers in oak woods, on the ground, and at mud puddles	Y (N) UTM:
CUM1, CUT1, CUW1	Monarch Butterfly (<i>Danaus plexippus</i>) - SC	Their larvae only feed on milkweeds (<i>Asclepius</i> spp.). Habitat includes abandoned farmland, along roadsides, open spaces where these plants grow	Y (N) UTM:
TPS, CUW	Mottled Duskywing (<i>Erynnis martialis</i>) -S2	Usually seen nectaring or on wet sandy roads. Larvae feeds on New Jersey Tea and adults only likely near where this plant is present	Y (N) UTM:
SWT, SWD, SWM, FOM, FOD4-3, TPW, TPS, CUM1	Tawny Emperor (<i>Asterocampa clyton</i>) - S3	Species inhabits densely wooded riparian areas, dry woods, open woods, fencerows and parks. Usually occurs near Hackberry, the larval foodplant	Y (N) UTM:
FOD5	West Virginia White (<i>Pieris virginienis</i>) - SC	This species is restricted to rich, moist, deciduous woods, where its foodplant Toothwort occur	Y (N) UTM: not observed - same toothwort observed

Done Aug 15/11 -SAM.

North-Central

392-654 1043/1060

Goshen Access Road / Collection Lines



VASCULAR PLANT CHECKSHEET

Location:

392-GSH 1043/1060
SAM (GE 2 & GE 4)

Date:

Aug. 15/11

Observer:

Job Number:

DICOT HERBS	1	2	3	4	5	6	1	2	3	4	5	6	1	2	3	4	5	6	MONOCOT HERBS	1	2	3	4	5	6	
Achillea millefolium																				Allium plantago-aquaticum						
Actaea pachypoda																				Allium triocculum						
Actaea rubra																				Allium						
Agalinis																				Arisaema triphyllum						
Agrimonia gryposepala																				Asparagus officinalis						
Alliaria petiolata																				Calla palustris						
Amaranthus retroflexus																				Clintonia borealis						
Ambrosia artemisiifolia																				Conwallaria majus						
Amphicarpaea bracteata																				Cypripedium calceolus						
Anaphalis margaritacea																				Elodea canadensis						
Anemone																				Epipactis helleborine						
Anemone canadensis																				Erythronium americanum						
Anemone virginiana																				Hemerocallis fulva						
Antennaria neglecta																				Iris versicolor						
Apocynum androsaemifolium																				Lemna minor						
Apocynum cannabinum																				Lemna trisulca						
Aquilegia canadensis																				Lilium						
Arnica nudicaulis																				Malantherum canadense						
Artemisia																				Malantherum racemosa						
Artemisia																				Malantherum stellata						
Azaron canadense																				Plantago						
Azaron canadense																				Portulaca confusa						
Azaron canadense																				Polygonatum pubescens						
Azaron canadense																				Potamogeton crispus						
Azaron canadense																				Potamogeton pectinatus						
Azaron canadense																				Potamogeton						
Azaron canadense																				Potamogeton						
Azaron canadense																				Potamogeton						
Azaron canadense																				Sagittaria latifolia						
Azaron canadense																				Sisyrinchium montanum						
Azaron canadense																				Smilax herbacea						
Azaron canadense																				Spiranthes cernua						
Azaron canadense																				Spirodela polyrrhiza						
Azaron canadense																				Streptopus roseus						
Azaron canadense																				Trillium erectum						
Azaron canadense																				Trillium grandiflorum						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																				Urtica dioica						
Azaron canadense																										

SITE LOCATIONS

1: Polygon 1 (GSH 1043)
2: 2 (GSH 1043/1060)
3: 3 (GSH 1060)

4: Swamp Inclusion in Poly 2
5:
6:

CONIFERS	1	2	3	4	5	6	TREES and SHRUBS	1	2	3	4	5	6	GRAMINOIDS	1	2	3	4	5	6
Abies balsamea							+ Rosa multiflora							Agrostis gigantea						
Juniperus communis							Rosa							Agrostis stolonifera						
Juniperus virginiana							Rubus allegheniensis			X	X			Agropyron repens						
Larix laricina							Rubus idaeus			X	X			Alopecurus						
Picea abies							Rubus occidentalis							Bromus inermis						
Picea glauca							Rubus odoratus							Calamagrostis canadensis						
Pinus resinosa							Rubus pubescens							Carex arctata						
Pinus strobus							Salix alba							Carex aurea						
Pinus sylvestris							Salix amygdaloides							Carex bebbii						
Thuja occidentalis							Salix bebbiana							Carex blanda						
Tsuga canadensis			X				+ Salix discolor							Carex gracillima						
							Salix eriocephala							Carex granularis						
							Salix exigua							Carex hystericina						
							Salix lucida							Carex pensylvanica						
							Salix petiolaris							Carex radiata						
TREES and SHRUBS							+ Salix purpurea							Carex retrorsa						
Acer negundo							Salix x rubens							Carex stipata						
Acer rubrum							+ Salix							Carex stricta						
Acer saccharinum		X			X		Sambucus canadensis			X		X		Carex vulpinoidea						
Acer saccharum		X	X				Sambucus racemosa							Carex lupulina					X	
Acer spicatum							Sorbus aucuparia							Carex						
Alnus rugosa							Spiraea alba							Carex						
Amelanchier							Syringa vulgaris							Carex						
Berberis thunbergii							* Tilia americana			X	X			Carex						
Betula alleghaniensis		X	X				Ulmus americana			X		X		Carex						
Betula papyrifera							Ulmus							Carex						
Carpinus caroliniana		X	X				Vaccinium							Carex						
Carya cordiformis							Viburnum lentago							Carex						
Celastrus scandens							Viburnum opulus							Cyperus						
Cornus alternifolia			X				Viburnum							Cyperus						
Cornus amomum							Vitis riparia			X				Dactylis glomerata						
Cornus rugosa							Zanthoxylum							Danthonia spicata						
Cornus stolonifera							americanum			X				Echinochloa crus-galli						
Corylus cornuta														Eleocharis erythropoda						
Crataegus monogyna														Eleocharis						
Crataegus punctata														Elymus virginicus						
Crataegus sp.														Elymus						
Crataegus														Festuca arundinacea						
Diervilla lonicera														Glyceria striata			X	X		
Fagus grandifolia			X											Glyceria						
Fraxinus americana		X	X											Juncus dudleyi						
Fraxinus nigra					X		FERNS							Juncus effusus						
Fraxinus pennsylvanica							Adiantum pedatum							Juncus tenuis						
Ilex verticillata							Athyrium filix-femina					X		Juncus						
Juglans cinerea							Botrychium multifidum							Juncus						
Juglans nigra			X				Botrychium virginianum							Leersia oryzoides						
Lonicera macrocarpa							Cystopteris bulbifera							Muhlenbergia						
Lonicera tatarica							Dryopteris carthusiana							Oryzopsis asperifolia						
Lonicera							Dryopteris cristata							Panicum						
Malus pumila		X					Dryopteris marginalis			X	X			Panicum						
Ostrya virginiana		X					Dryopteris							Phalaris arundinacea				X		
Parthenocissus inserta		X					Equisetum arvense							Phleum pratense						
Populus balsamifera							Equisetum hyemale							Phragmites australis						
Populus grandidentata							Equisetum variegatum							Poa compressus						
Populus tremuloides							Equisetum							Poa pratensis						
Populus							Gymnocarpium dryopteris							Poa						
Prunus pennsylvanica							Lycopodium digitatum							Scirpus atrovirens				X		
Prunus serotina			X	X			Lycopodium obscurum							Scirpus cyperinus						
Prunus virginiana			X	X			Lycopodium							Scirpus validus						
Prunus							Lycopodium							Scirpus						
Quercus macrocarpa							Mattucia struthiopteris							Scirpus						
Quercus rubra							Onoclea sensibilis			X	X			Setaria						
Quercus							Osmunda cinnamomea							Sparganium						
Rhamnus cathartica			X				Osmunda regalis							Typha angustifolia						
Rhus radicans		X	X		X		Polystichum acrostichoides				X			Typha latifolia						
Rhus typhina			X				Pteridium aquilinum							Typha x glauca						
Ribes americana							Thelypteris palustris													
Ribes cynosbati														Brachyelytrum						
Ribes x rubrum														erectum				X	X	
Robinia pseudo-acacia																				
Ribes fruticosum			X																	
Eucymus obtusifolius			X																	
Carya ovata			X																	

ELC

Community Description and Classification

Site: G5H 1043/1060 Polygon: 0
 Surveyor(s): AM Date: Aug 15/11 Time start: 1350
 UTMZ: 17 UTMZ: WP202 UTMN: 1446

Polygon Description

System	Substrate	Topographic Feature	Plant Form	Community
☒ Terrestrial ☐ Wetland ☐ Aquatic	☐ Organic ☐ Mineral Soil ☐ Parent Min. ☐ Acidic Bedk. ☐ Basic Bedk. ☐ Carb. Bedk.	☐ Lacustrine ☐ Riverine ☐ Bottomland ☐ Terrace ☐ Valley Slope ☐ Plateau ☐ Roll, Upland ☐ Cliff ☐ Talus ☐ Crevice/Cave ☐ Alluvial ☐ Rockland ☐ Beach / Bar ☐ Sand Dune ☐ Bluff	☐ Plankton ☐ Submerged ☐ Floating-LVD ☐ Graminoid ☐ Forb ☐ Lichen ☐ Bryophyte ☒ Deciduous ☐ Coniferous ☐ Mixed	☐ Lake ☐ Pond ☐ River ☐ Stream ☐ Marsh ☐ Swamp ☐ Fen ☐ Bog ☐ Barren ☐ Meadow ☐ Prairie ☐ Thicket ☐ Savanna ☐ Woodland ☒ Forest ☐ Plantation

Stand Description

Layer	HT	CVR	Species	Order of Decreasing Dominance (up to 4 sp)
1	3	4	MH	>> Much Greater Than; > Greater Than; = About Equal To
2	3	3	MH	>> Much Greater Than; > Greater Than; = About Equal To
3	5	3	BD	>> Much Greater Than; > Greater Than; = About Equal To
4	6	3	BD	>> Much Greater Than; > Greater Than; = About Equal To

HT Codes: 7 < 0.2m 8 > 0.2-0.5m 5 > 0.5-1m 4 > 1-2m 3 > 2-6m 2 > 6-25m 1 > 25m
 CVR Codes: 0 = none 1 0% - 10% 2 10 - 25% 3 25 - 60% 4 = 60%
 MH = A-14-BpD
 BD = A-14-BpD
 BA: 31
 Abundance Codes: N = None R = Rare O = Occasional A = Abundant

Stand Composition: Size Class Analysis: A < 10 10-24 25-50 > 50
 Standing Snags: V < 10 10-24 25-50 > 50
 Deadfall / Logs: 0 < 10 10-24 25-50 > 50

Com. Age: ☐ Pioneer ☐ Young ☐ Mid-Age ☒ Mature ☐ Old Growth
 Ecotype: Fresh-Forest Sugar Maple Dec. Code: FODG-5
 Vegetation Type: Fresh-Forest Sugar Maple - Hardwood Code: FODG-5
 Inclusion: Deciduous Forest Type (Hgt-BD-Aw) Code: /
 Complex: /

Community Profile Diagram/Comments

Notes:

Tree Tally by Species

Species	Tally 1	Tally 2	Tally 3	Tally 4	Total	Rel. Avg.
MH	1	1	1	1	4	58
BD	1	1	1	1	4	10
AW	1	1	1	1	4	10
AV	1	1	1	1	4	19
Total	16	15	15	15	31	100
Basal Area (BA)	32	30	30	30	31	31
Dead						

Soils Ontario and ELC Soils Description

Site Metrics	Plot/Auger #	Soils Ontario and ELC Soils Description	Summary
Zone	WP202		
Easting			
Northing			
Position	4		
Aspect	SW		
Percent	5		
Slope	4m		
Length			
Moisture			
Gley	264		
Water Table			
Carbonates	45		
Bedrock			
Depth from zero	0	% CF	% CF
Texture	fscL	% CF	% CF
Depth from zero	16	% CF	% CF
Texture	fsc	% CF	% CF
Depth from zero	22	% CF	% CF
Texture	C	% CF	% CF
Depth from zero		% CF	% CF
Texture		% CF	% CF
% Surface Stone/Rock			
Moisture Regime			
Drainage			

* Small Swamp Inclusion @ E 450887
N 4805527

ELC
Community
Description and
Classification

Site: GSH 1043/1060
Surveyor: SAM
UTMZ: 17

Polygon: 2
Date: Aug. 15/11
UTMZ: 17

Time start: 1452h
Time finish: 1524h
UTMN:

Polygon Description

System	Substrate	Topographic Feature	Plant Form	Community
☒ Terrestrial	☐ Organic	☐ Lacustrine	☐ Plankton	☐ Lake
☐ Wetland	☒ Mineral Soil	☐ Riverine	☐ Submerged	☐ Pond
☐ Aquatic	☐ Parent Min.	☐ Bottomland	☐ Floating-LVD	☐ River
	☐ Acidic Bedrk	☐ Terrace	☐ Graminoid	☐ Stream
	☐ Basic Bedrk	☐ Valley Slope	☐ J Forb	☐ Marsh
	☐ Carb. Bedrk	☒ Graveland	☐ Lichen	☐ Swamp
		☐ Roll. Upland	☐ Bryophyte	☐ Fen
		☐ Cliff	☒ Deciduous	☐ Bog
		☐ Talus	☐ Coniferous	☐ Barren
		☐ Crevice/Cave	☐ Mixed	☐ Meadow
		☐ Aivar		☐ Prairie
		☐ Rockland		☐ Thicket
		☐ Beach / Bar		☐ Sav. Inland
		☐ Sand Dune		☐ Woodland
		☐ Bluff		☒ Open st
				☐ Plantation

Stand Description

Layer	HT	CVR	Species in Order of Decreasing Dominance (up to 4 sp) (> Much Greater Than; > Greater Than; = About Equal To)
1	2	4	HA >> BA = Be > He
2	3-4	3	HA7 Au > CB > HA7 Au Alt. Dogwood
3			Pickly Ash > Blk. Elder > Blue Birch
4	0-7	3	Herb Robert > Corn. May Flower > Banded Shorthusk > False Nettie

HT Codes: 7 < 0.2m 8 > 0.2-0.5m 9 > 0.5-1m 4 > 1-2m 3 > 2-6m 2 > 6-25m 1 > 25m
CVR Codes: 0 = none 1 0% - 10% 2 10 - 25% 3 25 - 50% 4 > 50%

Stand Composition:	Size Class Analysis:	Standing Snags:	Deadfall / Logs:
HA 35-4015-Bc18	Q < 10	R < 10	O < 10
BA: 34	A 10-24	O 10-24	A 10-24
	R > 50	R > 50	R > 50

Abundance Codes: N = None R = Rare O = Occasional A = Abundant

Com. Age:	☐ Pioneer	☐ Young	☒ Mid-Age	☐ Mature	☐ Old Growth
-----------	----------------------------------	--------------------------------	---	---------------------------------	-------------------------------------

Ecosite:	Fresh-Hoist Sugar Maple Deciduous Forest	Code:	FOD6
Vegetation Type:	Fresh-Hoist Sugar Maple-Hardwood	Code:	FOD6-5
Inclusion:	Black Ash, Red Maple, Oak, Swamp Type	Code:	SWD2-1
Complex:		Code:	

Community Profile Diagram/Comments

Notes:

Tree Tally by Species

Species	Tally 1	Tally 2	Tally 3	Tally 4	Total	Prism Factor	2
BP	1				1		
EW	1				1		
Bz	1				1		
HA	1				1		
AW	1				1		
Be	1				1		
Total	17				17		100
Basal Area (BA)	34				34		34
Dead	2				2		2

Soils Ontario and ELC Soils Description Inclusion

Plt/Auger #	WP203	WP204	Summary
Zone		17T	
Easting		450987	
Northing		4805527	
Position		5	
Aspect	5	W	
Percent	5	-	
Slope	2m	-	
Length	20	0	
Mottles	04	12	
Gley	73	0	
Water Table	38	27	
Carbonates		7/20	
Bedrock			
1	Depth from zero	% CF	% CF
2	Texture	% CF	% CF
3	Depth from zero	% CF	% CF
4	Texture	% CF	% CF
% Surface Stone/Rock			
Moisture Regime			
Drainage			

