

1 CONIFERS						2 TREES and SHRUBS						3 GRAMINOIDS						4					
	1	2	3	4	5		1	2	3	4	5		1	2	3	4	5	6					
Abies balsamea						Rosa multiflora						Agrostis gigantea											
Juniperus communis						Rosa						Agrostis stolonifera											
Juniperus virginiana						Rubus idaeobaccatus						Agropyron repens											
Larix laricina						Rubus idaeus	X					Alopecurus											
Picea abies						Rubus occidentalis						Bromus inermis											
Picea canadensis						Rubus odoratus						Oxalagrostis canadensis											
Picea resinosa						Rubus pubescens						Carex arctata											
Picea strobus						Salix alba						Carex aurea											
Picea sylvatica						Salix amygdalioides						Carex bebbii											
Thuja occidentalis	X					Salix babingtonii						Carex blanda											
Taxus canadensis	X					Salix discolor						Carex gracillima											
						Salix microcephala						Carex granularis											
						Salix nigra						Carex hypoleuca											
						Salix lucida						Carex pennsylvanica		X									
						Salix petiolaris						Carex radiata											
						Salix purpurea						Carex retrorsa											
						Salix x rubens						Carex stipens											
						Salix						Carex stricta											
						Sambucus canadensis				X		Carex vulpina											
						Sambucus racemosa						Carex											
						Sorbus aucuparia						Carex											
						Spiraea alba						Carex											
						Syringa vulgaris						Carex											
						Tilia americana	X	X				Carex											
						Ulmus americana						Carex											
						Ulmus						Carex											
						Vaccinium						Carex											
						Viburnum lentago						Cyperus											
						Viburnum opulus						Cyperus											
						Viburnum						Dactylis glomerata		X									
						Vitis riparia		X				Echinochloa crus-galli											
												Eriochloa erythropoda											
												Eriochloa											
												Elymus virginicus											
												Elymus											
												Festuca arundinacea											
												Glyceria striata		X									
												Glyceria											
												Juncus dudleyi											
												Juncus effusus											
												Juncus tenuis											
												Juncus											
												Juncus											
												Leersia oryzoides											
												Muhlenbergia											
												Oryzopsis asperifolia											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											
												Panicum											

Site: 65A
Surveyor(s): SAM
UTMZ: 17-

049

Polygon:	Time:
Date: Aug. 16/11	
MZ:	

UTM#:

1342
15018

Polygon Description

System
☒ Terrestrial
☐ Wetland
☐ Aquatic

Site
☐ Open Water
☐ Shallow Water
☒ Surficial Dep.
☐ Bedrock

History
☒ Natural
☐ Cultural

Cover
☐ Open
☐ Shrub
☒ Tree

Substrate
☐ Organic
☒ Mineral Soil
☐ Parent Min.
☐ Acidic Bedrk
☐ Basic Bedrk
☐ Carb. Bedrk

☐	☐	☐	☒	☐
Topographic Feature	Lacustrine	Riverine	Bottomland	Terrace
	Valley Slope	Tableland	Roll Upland	Cliff
	Talus	Crevise/Cave	Avalar	Rockland
	Besch / Bar	Sand Dune	Bluff	

Plant Form	Community
Plankton	☐ Lake
Submerged	☐ Pond
Floating-LVD.	☐ River
Graminoid	☐ Stream
Forb	☐ Marsh
Lichen	☐ Swamp
Bryophyte	☐ Fen
Deciduous	☐ Bog
Coniferous	☐ Barren
Mixed	☐ Meadow
	☐ Prairie
	☐ Thicket
	☐ Savannah
	☐ Woodland
	☒ Forest
	☐ Plantation

Stand Description

Layer	HT	CVR	Species in Order of Decreasing Dominance (up to 4 sp) (> Much Greater Than; > Greater Than; = About Equal; To)
1			$MH > Hs > Aw > Be$
2			$MH > Aw > Hs > Ba$
3			$MH > Hs > Ba$
4			Jack In The Pulpit > MH > Each Vetch > Zigzag Goldenrod

HT Codes:	7 <0.2m	8 >0.2-0.5m	9 >0.5-1m	4 >1-2m	3 >2-6m	2 >6-25m	1 >25m
UB9 Corlear:	0 = none	1 0% - 10%	2 10 - 25%	3 25 - 60%	4 >60%		

Stand Composition:	Size Class Analysis:	10-24	25-50	>50
M4H1 Hc24w13Bc9	Standing Snags:	0	0	0
BA: 32	Deadfall / Logs:	0	0	0

Abundance Codes: N = none, K = rare, U = occasional, A = abundant

Corn. Age:	Pioneer	Young	Mid-Age	Mature	Old Growth
Ecosite:					
Vegetation Type:					
Inclusion:					
Complex:					

Community Profile Diagram/Comments

Notes:

Tree Tally by Species

Species	Tally 1	Tally 2	Tally 3	Tally 4	Total	Rel. Avg.
Be	1	2			3	9
MA	6	4			10	41
LD	2	1			3	4
HS	4	3			7	13
BP	1	3			4	13
	2	2			4	6
Total	14	13			27	100
Basal Area (BA)	28	36			64	32
Lead					2	

Soils Ontario and ELC Soils Description

Site Metrics		Soil Horizon Description		Depth to...		Summary	
UTM	PI/Auger #	Zone	Wp 909 (hr 210) (2)	Moisture Regime	Drainage	Effective Texture (Indicate below)	% CF
		Eastling					
		Northling					
		Position	4				
		Aspect	SW				
		Percent	5				
		Slope	3m				
		Length	4m				
		Mottles	27				
		Gley	>120				
		Water Table	>120				
		Carbonates	52				
		Bedrock	>120				
1	Depth from zero	% CF	0	% CF	0	% CF	% CF
	Texture		vfSSCL		vfSCL		% CF
2	Depth from zero	% CF	12	% CF	18	5	% CF
	Texture		SiC		C		% CF
3	Depth from zero	% CF	23	% CF	24	5	% CF
	Texture		C		C		% CF
4	Depth from zero	% CF		% CF			% CF
	Texture						% CF
	% Surface Stone/Rock						% CF
	Moisture Regime						% CF
	Drainage						% CF

CONIFERS	1	2	3	4	5	6	TREES and SHRUBS	1	2	3	4	5	6	GRAMINOIDS	1	2	3	4	5	6
Abies balsamea							* Rosa multiflora							Agrostis gigantea						
Juniperus communis							Rosa							Agrostis stolonifera						
Juniperus virginiana							Rubus allegheniensis							Agropyron repens						
Larix laricina							Rubus idaeus							Alopecurus						
Picea abies							Rubus occidentalis							Bromus inermis						
Picea glauca							Rubus odoratus							Calamagrostis canadensis						
Pinus resinosa							Rubus pubescens							Carex acutata						
Pinus strobus							Salix alba							Carex aurea						
Pinus sylvestris							Salix amygdaloides							Carex bebbii						
Thuja occidentalis							Salix bebbiana							Carex blanda						
Tsuga canadensis							* Salix discolor							Carex gracillima						
							Salix eriocephala							Carex granularis						
							Salix exigua			X				Carex hystericina						
							Salix lucida							Carex pennsylvanica						
							Salix petiolaris							Carex radiata						
TREES and SHRUBS							* Salix purpurea							Carex retrosa						
Acer negundo							Salix x rubens							Carex stipata						
Acer rubrum							* Salix							Carex stricta						
Acer saccharinum							Sambucus canadensis							Carex vulpinoidea						
Acer saccharum	X						Sambucus racemosa							Carex <i>14 p. 14 m. a</i>						X
Acer spicatum							Sorbus aucuparia							Carex						
Alnus rugosa							Spiraea alba							Carex						
Amelanchier							Syringa vulgaris							Carex						
Berberis thunbergii							* Tilia americana			X				Carex						
Betula alleghaniensis							Ulmus americana			X				Carex						
Betula papyrifera							Ulmus							Carex						
Carpinus caroliniana	X						Vaccinium							Carex						
Carya cordiformis	X						Viburnum lentago							Carex						
Celastrus scandens							Viburnum opulus							Cyperus						
Cornus alternifolia							Viburnum							Cyperus						
Cornus amomum							Vitis riparia			X				Dactylis glomerata						
Cornus rugosa														Danthonia spicata						
Cornus stolonifera														Echinochloa crus-galli						X
Corylus cornuta														Eleocharis erythropoda						
Crataegus monogyna														Eleocharis						
Crataegus punctata														Elymus virginicus						

Location: 306 GSH 1049
Observer: SAM

VASCULAR PLANT CHECKSHEET

Date: Aug. 16/11

Job Number:

DICOT HERBS	1	2	3	4	5	6	1	2	3	4	5	6	1	2	3	4	5	6	MONOCOT HERBS	1	2	3	4	5	6
Achillea millefolium							Erigeron annuus						Plantago lanceolata						Alisma plantago-aquatica						
Actaea pachypoda							Erigeron philadelphicus						Plantago major						Allium tricoccum						
Actaea rubra							Erigeron strigosus						Plantago rugelii						Allium						
Agalinis							Erysimum cheiranthoides						Podophyllum peltatum						Arisaema triphyllum						
Agrimonia gryposepala							Eupatorium maculatum						Polygonum						Asparagus officinalis						
Ajuria petiolata							Eupatorium perfoliatum						Polygonum						Calla palustris						
Amaranthus retrofractus							Eupatorium rugosum						Polygonum						Cirsium boreale						
Ambrosia artemisiifolia							Euphorbia						Polygonum lapathifolium						Convolvulus major						
Amphicarpaea baccata							Euthamia graminifolia						Polygonum persicaria						Cypripedium calceolus						
Anaphalis margaritacea							Fragaria virginiana						Potentilla						Eloëa canadensis						
Anemone							Fragaria vesca						Potentilla norvegica						Epipactis helleborine						
Anemone canadensis							Galeopsis tetrahit						Potentilla recta						Erythronium americanum						
Anemone virginiana							Galium						Prenanthes alba						Hemerocallis fulva						
Antennaria neglecta							Galium						Prunella vulgaris						Iris versicolor						
Apocynum androsaemifolium							Galium palustre						Pyrola elliptica						Lemna minor						
Apocynum cannabinum							Galium triflorum						Ranunculus						Lemna trisulca						
Aquilegia canadensis							Geranium maculatum						Ranunculus abortivus						Lilium						
Aralia nudicaulis							Geranium robertianum						Ranunculus acris						Milanthemum canadense						
Arctium minus							Geum aleppicum						Rudbeckia hirta						Milanthemum racemosum						
Artemisia							Geum canadense						Rumex acetosella						Milanthemum stellata						
Asarum canadense							Geum						Rumex crispus						Platanus						
Asclepias incarnata							Glechoma hederacea						Rumex						Portulaca cordata						
Asclepias syriaca							Hepatica acutiloba						Sanguinaria canadensis						Polygonatum pubescens						
Aster							Hesperis matronalis						Saricula marilandica						Potamogeton crispus						
Aster cordifolius							Hieracium aurantiacum						Saponaria officinalis						Potamogeton pectinatus						
Aster ericoides							Hieracium caespitosum						Scutellaria vulgaris						Potamogeton						
Aster lanceolatus							Hieracium						Scutellaria galericulata						Potamogeton						
Aster lateriflorus							Hydrophyllum virginianum						Silene vulgaris						Potamogeton						
Aster macrophyllus							Hypericum perforatum						Sium suave						Sagittaria latifolia						
Aster novae-angliae							Impatiens capensis						Solanum dulcamara						Silene montana						
Aster pumilus							Inula helenium						Solidago						Smilax herbacea						
Barbarea vulgaris							Lactuca						Solidago altissima						Spiranthes cernua						
Bidens cernua							Laportea canadensis						Solidago caesia						Spirodela polyrrhiza						
Bidens frondosa							Lapsana communis						Solidago canadensis						Streptopus roseus						
Boehmeria cylindrica							Leonurus cardiaca						Solidago flexicaule						Trillium erectum						
Calla palustris							Lepidium						Solidago gigantea						Trillium grandiflorum						
Calystegia sepium							Linaris vulgaris						Solidago nemoralis						Uvularia grandiflora						
Candabina diphylla							Orthocentrum officinale						Solidago rugosa												
Candabina							Lobelia						Sonchus oleraceus												
Caryophyllus thalictrifolius							Lobelia inflata						Sonchus asper												
Cerastium fontanum							Lolium comiculatus						Stellaria												
Cerastophyllum demersum							Lycopus americanus						Tanacetum vulgare												
Chelidonium majus							Lycopus						Tanacetum officinale												
Chenopodium album							Lysimachia ciliata						Thalictrum dioicum												
Chrysanth. leucanthemum							Lythrum salicaria						Thalictrum pubescens												
Cichorium intybus							Medicago lupulina						Tierella cordifolia												
Cicuta							Medicago sativum						Tragopogon pratensis												
Circaea leutiflora							Melilotus alba						Trifolium boreale												
Cirsium arvense							Mercurialis annua						Trifolium pratense												
Cirsium vulgare							Mimulus ringens						Trifolium repens												
Clematis virginiana							Mimulus ringens						Tussilago farfara												
Cirsium boreale							Mitella diphylla						Urtica dioica												
Coryza canadensis							Munera fistulosa						Urtica dioica												
Cornilla varia							Myosotis						Utricularia vulgaris												
Cynanchum roseum							Nasturtium officinale						Verbascum thapsus												
Cynoglossum officinale							Nepeta cataria						Verbena hastata												
Daucus carota							Nuphar variegatum						Verbena urticifolia												
Desmodium canadense							Nymphaea odorata						Veronica												
Dianthus amurens							Oenothera biennis						Veronica officinalis												
Dipsacus fulorum							Osmorhiza						Viola cracca												
Echinops lobata							Oxalis stricta						Viola tetrasperma												
Echium vulgare							Phytolacca leptostachya						Viola												
Epilobium							Physalis heterophylla						Viola pubescens												
Epilobium ciliatum													Viola sororia												
Epilobium hirsutum																									
Epilobium parviflorum																									

1: polygon
2:
3:

4:
5:
6:

SITE LOCATIONS

ELC Plant Species List	SITE: 306 GSH 1049
	POLYGON: ①
	DATE: Aug. 16/11
	SURVEYOR(S): SAM

LAYERS: 1 = CANOPY 2 = SUB-CANOPY 3 = UNDERSTORY 4 = GROUND (GRD.) LAYER

ABUNDANCE CODES: R = RARE O = OCCASSIONAL A = ABUNDANT D = DOMINANT

SPECIES CODE	LAYER				COLL.
	1	2	3	4	
Sandbar Willow					
Cottonwood					
A/silk Clover					
G-L G'rod					
Curled Leaf					
Q Aloe					
Pan. Aster					
B/R Bulrush					
Can. G'rod					
Rough Barnyard Grass					
Strawberry					
Can. Thistle					
Sour Cherry					
Calico Aster					
As					
Prickly Gooseberry					
As					
MH					
False Sol Sol					
Be					
Jack In Pulpit					
Id					
BN Hickory					
Bp					
Xmas Fern					
Choke Cherry					
Strawberry					
Zig Zag G'rod					

[illegible]



Legend

- Turbine Location
- Road Turn-Around
- Collection Line Layout
- Access Road Layout
- Turbine Turn-Around Box
- Collection Line 20m Buffer
- Access Road 60m Buffer
- Area of Disturbance 120m Buffer
- Natural Feature

Roads

- Major Road
- Local Road

Water Features

- Intermittent Stream
- Permanent Stream

Map Information

Map prepared from Ontario Ministry of Natural Resources
Cadastral Data

UTM Zone 17N, NAD 83

Scale: 0 15 30 45 60 75 90 105 120 Meters

North Arrow

This drawing has been prepared for the use of AECOM, client and its authorized personnel only. It is not to be used for any other purpose without the written consent of AECOM. AECOM accepts no responsibility for the accuracy or completeness of the information provided herein. AECOM is not responsible for any errors or omissions in this drawing. AECOM is not responsible for any damage or loss resulting from the use of this drawing.

Northern Energy Canada, U.L.C.
Canadian Wind Energy Centre

Feature 346/349

December 2011
80155032

AECOM

Figure 1

1999

D - Dominant: represented by large numbers; generally forming >10% ground cover or >25% vegetation cover in any one stratum				
F - Fairly common (Abundant in ELC): generally widespread represented by fairly large numbers of individual clumps; usually forming >10% ground cover				
U - Uncommon (Occasional in ELC): present as widespread scattered individuals or represented by one or more clumps of many individuals (most species will fall into this category)				
R - Rare: represented in the polygon by less than about five individuals or small clumps				
Map Number:	349/346 GSH 104	1	FOD 7-2	4 July 3 : CVM 1-1
Date:	July 3, 2012	2	FOD	5
Surveyor(s):	St. J.	3	103-2 incl. vs. m.	

Page 1 of 2

D - Dominant: represented by large numbers; generally forming >10% ground cover or >25% vegetation cover in any one stratum
 F - Fairly common (~Abundant in ELC): generally widespread represented by fairly large numbers of individual clumps; usually forming >10% ground cover
 U - Uncommon (~Occasional in ELC): present as widespread scattered individuals or represented by one or more clumps of many individuals (most species will fall into this category)
 R - Rare: represented in the b. less than about five individuals or small clumps

Map Number: 1 4
 Date: 2 6
 Surveyors: 3

Significant Wildlife Habitat Form

AECOM

Study Area:	BLW	JER	<u>GSH</u>	Map #:	<u>346/349 GSH 1041</u>
Date:	<u>2012-07-03</u>			Time Started:	<u>4:30 p.m.</u>
Field Staff:	<u>Tom Stone, Sam Gildner</u>			Time Finished:	<u>6:30 p.m.</u>
Weather Conditions:	<u>Isolated T-Shower, 24°C</u>				

Colonial Nesting Tree/Shrub Birds, Osprey Breeding/Feeding, Bald Eagle Breeding/Nesting Habitat
(FET1, FOC, FOM, FOD, SWC, SWM, SWD)

Nest bowls present: ☒ No ☐ Yes (if yes, photograph and complete the following)

UTMs: _____ Number of nests: _____

Description of nests (location, e.g. in tree/on built structure; material; evidence of recent use; birds present): _____

Description of habitat (note riparian areas if present, evidence of disturbance): _____

Waterfowls Stopover/Nesting, Amphibian Breeding, Turtle Nesting/Over-wintering, Marsh Breeding Birds
(CUM1, CUT1, MAM, MAS, SAS1, SAM1, SAF1, SWD, SWT1, SWT2) (FOC, FOM, FOD, SWC, SWM, SWD, BOO1, FEO1)

Standing water present: ☒ No ☐ Yes (if yes, photograph and complete the following)

UTMs: _____ Area of standing water delineated on field map: _____

Water depth (m): _____ % open water: _____ % emergent vegetation: _____

Potential to hold water until at least July in most years: Yes / No

Description of standing water (permanent pool, evidence of annual spring flooding, etc): _____

Area and soil/substrate of shoreline habitat: _____

Type and abundance of cover in open water habitat: _____

Type and abundance of cover in surrounding habitat: _____

Evidence of disturbance (e.g. cattle grazing): _____

Evidence of use by waterfowl, amphibians, turtles (e.g. broken eggs), marsh breeding birds: _____

Complete Vernal Pool Habitat Description Form

Snake Hibernacula

Fissured rock/foundation or rock/debris pile present: ☒ No ☐ Yes (if yes, photograph and complete the following)

UTMs: _____ Likelihood to extend below frost line: _____

% canopy cover: _____ % slope: _____ Distance to open canopy (m): _____

Description of fissure or stone pile (composition/material, dimensions, etc): _____

Description of surrounding habitat (type & abundance of cover, evidence of disturbance, etc): _____

Seeps and Springs (FOC, FOM, FOD, SWC, SWM, SWD)

Evidence of seep or spring: ☒ No ☐ Yes (if yes, photograph and complete the following)

UTMs: _____ Description (indicator species, etc): _____

NHA Site Investigation - Significant Wildlife Habitat Form

AECOM

Colonial Nesting Bird Breeding Habitat (Bank and Cliff Swallows)

(CUM1, CUT1, CUS, BLO1, BLS1, BLT1, CLO1, CLS1, CLT1)

Eroding bank, sandy hill, pits, steep slope or rock face present:

☒ No

☐ Yes (if yes, photograph and complete the following)

UTMs: _____

Location (e.g. aggregate pit, bridge): _____

Evidence of use by bank or cliff swallows (provide number of nests): _____

Colonial Nesting Ground Breeding Birds, Shorebird Migratory Stopover Areas

(BBO1, BBO2, BBS1, BBS2, BBT1, BBT2, SDO1, SDS2, SDT1, MAM1, MAM2, MAM3, MAM4, MAM5)

Shoreline of lake, large river or large wetland present:

☒ No

☐ Yes (if yes, photograph and complete the following)

UTMs: _____

Rocky island or peninsula present: _____

Mudflat present: _____

Evidence of disturbance (e.g. cattle grazing): _____

Description of habitat (size of rocky outcrop/mudflat, substrate/soil type, type and abundance of cover): _____

Raptor Winter Feeding and Roosting, Open Country or Shrub/Early Successional Bird Breeding Habitat

CUT1, CUS1, >30ha, CUM1 >30ha, FOC, FOD, FOM with a CUM, CUT, CUS, CUW > 20ha, or a CUM, CUS, CUT, CUW > 15ha

Large meadow, old field or generally open habitat (e.g. CUM, CUS, CUT, CUS, CUW) present:

Large open habitat present: ☒ No

☐ Yes (if yes, photograph and complete the following)

UTMs: _____

Evidence of disturbance (e.g. cattle grazing): _____

Description of habitat (abundance of food plants for rodents, abundance of perches, height of vegetation): _____

Old-growth or Mature Forests, Interior Forest Breeding Birds

(FOD, FOC, FOM, SWC, SWM, SWD. Mature forest (>60 years) present)

Mature forest present: ☒ No

☐ Yes (if yes, photograph and complete the following)

UTMs: _____

Age of oldest trees: _____

Evidence of disturbance (e.g. selective cutting): _____

Description of habitat (structural complexity, abundance of snags and/or downed woody debris, etc): _____

Photo #	Location or Subject	Photo #	Location or Subject

A=COM

Field Staff:

Time Started:

Time Finished:

Observed Species List

[illegible]

Note: Evidence Codes (EV)

T=Territory, D=Display, P=Pair, N=Nest Building, V= Visiting Nest, A=Anxiety Behavior;

DD=Distraction, NU=Used Nest, FY=Fledged Young, NE=Eggs, NY=Young, FS=Food/Faecal sack, AE=Nest Entry

mass, DP=Distinctive Parts, HO=House/Den, FY=Eggs/young, TK=Tracks, FE=Feeding evidence, SC=Scat SI=Other signs (specific)

$$A \sim 1/b + 1/bd \text{ and } 1/bd$$

ELC	Species	Habitat Description	Habitat Present (Y/N; UTM; description of habitat if present)
PLANTS			
FOD7	American Gromwell (<i>Lithospermum latifolium</i>) - S3 <i>Bloom Time</i> - Spring	Shaded river banks, wooded floodplains. River floodplains, woods and edges of woods.	Y (N) UTM
ALO, TPO	Muehlenberg's astomum moss (<i>Astomum muehlenbergianum</i>) - S2 <i>Bloom Time</i> - Spring	Thin soil over level outcrop ledges and on soil under grasses in open prairie	Y (N) UTM
FOM1, FOM2, CUP3	Autumn Coral-root (<i>Corallorhiza odoratioriza</i>) - S2 <i>Bloom Time</i> - summer to fall	Oak-pine woods or occasionally in open, red pine or white pine plantations. Dry sandy woods.	Y (N) UTM N/O
FOC, FOM, FOD	Burning Bush (<i>Euonymus atropurpureus</i>) - S3 <i>Bloom Time</i> - April - June	Species occurs in dry to moist deciduous thickets and woods	Y (N) UTM: N/O
SWC1, SWC3, SWC4, SWM1, SWM2, SWM4, SWM5, SWM6	Chinese Hemlock Parsley (<i>Conioselinum chinense</i>) - S2 <i>Bloom Time</i> - summer to fall	Swampy places with deciduous trees, white cedars, tamarack; springy river banks, wet borders of streams and rivers. Also found among calcareous seepage slopes	Y (N) UTM
MAM, MAS	Crowned Beggarticks (<i>Bidens trichosperma</i>) - S2 <i>Bloom Time</i> - late summer	Found in openings in swamps, marshes, along shores & wet fields within the Carolinian zone and southeastern Georgian bay. Bogs, fens, tamarack swamps	Y (N) UTM
ALT1, FOD7	Eastern Green-violet (<i>Hybanthus concolor</i>) - S2 <i>Bloom Time</i> - mid March to August	Occurs in rich, wet-mesic floodplain forests as well as mesic forests over limestone. Includes floodplains and river banks	Y (N) UTM N/O
TPS, TPW, FOM1, FOM2	Fogg's Goosefoot (<i>Chenopodium foggii</i>) - S2	Species occurs in sandy areas on limestone under oak or pine-oak forests	Y (N) UTM:
TPO2, TPS2, TPW2	Giant Ironweed (<i>Vernonia gigantea</i>) - S17 <i>Bloom Time</i>	Found in mesic prairies, thickets, moist woods, roadsides and grassy meadows	Y (N) UTM:

Species of Conservation Concern Habitat and Incidental Wildlife – Goshen

AECOM

ELC	Species	Habitat Description	Habitat Present (Y/N; UTM; description of habitat if present)
CUM1, MAM FOD6, FOD7, FOD9	June–August Green Dragon (<i>Artemisia dracunculoides</i>) - SC/S3 Bloom Time – May and June	Species found in damp deciduous forests and along river streams. Particularly Maple forest and forest dominated by Red Ash and White Elm.	Y N UTM: N/O
TP01, TPS1, TPW1, FOM1, FOM2, FOD1, FOD2, FOD3	June–August Hairy Bedstraw (<i>Galium pilosum</i>) - S3 Bloom Time – June–August	Occurs in dry, sandy woods and thickets; occasionally in dry sandy fields	Y N UTM:
FE01, FES1, FET1, SWC, SWM, SWD, SWT, TPO, TPS, TPW	Hairy Valerian (<i>Valeriana edulis</i>) - S1 Bloom Time – June to August	Inhabits swampy river flats and meadows, wet prairies, and wooded, rocky riverbanks and fens	Y N UTM
FOD6, FOD7, SWM, SWD	Hairy Wood Mint (<i>Blephilia hirsuta</i>) - S1 Bloom Time – Summer	Woodlands, often rocky, especially rivers. Rich woods, swamp forests, floodplains	Y N UTM N/O
FOD6, FOD7, FOD8, FOD9	Harbinger-of-spring (<i>Eigenia bulbosa</i>) - S3 Bloom Time – early to late April	Occurs in rich, moist deciduous woods, especially on floodplains.	Y N UTM N/O
SAS1, SAM1, SAF1	Hill's Pond Weed (<i>Potamogeton hillii</i>) - SC/S2 Bloom Time – summer	Aquatic plant found in highly alkaline waters of ditches, ponds, beaver ponds, and slow-moving cold waters.	Y N UTM
FOM6, FOM7, FOM8	Large Round-leaved Orchid (<i>Platanthera macrophylla</i>) - S2 Bloom Time – June to August	Species inhabits moist mixed woods. Found in fairly mature, upland sugar maple-beech-eastern hemlock woodlands.	Y N UTM
MAM2, MAM3, MAS2, MAS3, SWD	Lizard's Tail (<i>Saururus cernuus</i>) - S3 Bloom Time – June – September	Species inhabits shores and streambanks along shallow water. As well as swamps, floodplains, shallow water and mudflats at the borders of streams and ponds.	Y N UTM
FOD6, FOD7, FOD9	Pawpaw (<i>Asimina triloba</i>) - S3 Bloom Time – March–May	Occurs in moist deciduous woods and stream banks.	Y N UTM N/O
FOM8, FOD6, FOD7, FOD9, CUM1	Pilose Evening Primrose (<i>Oenothera pilosella</i>) - S2 Bloom Time – Late Spring – Early Summer	Moist edges of woods and open, disturbed ground.	Y N UTM N/O
TPW1, FOM1, FOM2, FOD1, FOD2, FOD3	Prostrate Tick-trefoil (<i>Desmodium rotundifolium</i>) - S2 Bloom Time – July–September	Dry, sandy or rocky woods	Y N UTM
FOD7, SWD	Pumpkin Ash (<i>Fraxinus profunda</i>) - S2? Bloom Time – March – June	Swamps and floodplains	Y N UTM N/O
CUW1, ALO, FET1, SWC	Ram's-head Lady's-slipper (<i>Cypripedium arietinum</i>) - S3 Bloom Time – mid May to mid June	Found in cedar woodlands, limestone plains and wooded fens, moist coniferous swamps, dry-sandy woods, and limestone barren	Y N UTM
FOD1, FOD2, FOD3, FOD4, FOD5, FOC1, FOM1, FOM5	Rattlesnake Hawkweed (<i>Hieracium venosum</i>) - S2 Bloom Time – April – September	Species inhabits open, dry sandy woods. Jack pine, oak, and aspen woodlands.	Y N UTM:
FOD6, FOD7, FOD9	Round-leaved Groundsel (<i>Packera obovata</i>) - S3 Bloom Time – May – June	Found in moist woods	Y N UTM: N/O
CUM1, CUT1, CUS1	Round-leaved hawthorn (<i>Crataegus lumarina</i>) - S3?	Species occurs in old fields, poorly managed pastures, fencelines and roadsides	Y N UTM: N/O
FOD6, FOD7, FOD8, FOD9, SWT2, SWT3	Scarlet Beebalm (<i>Monarda didyma</i>) - S3 Bloom Time – May to October	Found in moist, rich woods, thicket swamps, banks and floodplains.	Y N UTM: N/O
ALO, ALS, ALT, TPO, TPS, TPW	Slender Blazing Star (<i>Liatris cylindracea</i>) - S3	Species occurs in limestone and dolostone pavement, prairies, open woods, alvars and moist sandy meadows	Y N UTM:
SBO, SBS, SBT, TPO1, TPS1, TPW1, FOD1, FOD2	Slender Knotweed (<i>Polygonum tenue</i>) - S2	Found in dry, sandy, open areas in deciduous (often oak woods), prairie meadows, at edges of sand pits	Y N UTM:
SDT1, FOD5, FOD9	Slim-flowered Muhly (<i>Muhlenbergia tenuiflora</i>) - S2	Found in rich deciduous forest, often on rocky or sandy soils, wooded dunes, hillsides, and riverbanks whether in oak or beech-maple woods	Y N UTM
BLO1, BLS1, BLT1, TPO2, TPS1, TPW2, MAM2, FOD7	Stiff Gentian (<i>Gentiana quinquefolia</i>) - S2 Bloom Time – late summer to mid fall	Found in moist soils of streambanks, edges of woods, wet prairies, marshy meadows, bluffs and wooded hillsides.	Y N UTM: N/O
TPS1, TPW1, CUW1, RBO, SBO	Sundial Lupine (<i>Lupinus perennis</i>) - S3 Bloom Time – mid-March to mid-June	Inhabits dry, sandy oak savannahs, prairies, open barrens or clearings in woodlands of oak, jack pine, and/or aspen	Y N UTM

Species of Conservation Concern Habitat and Incidental Wildlife – Goshen

AECOM

ELC	Species	Habitat Description	Habitat Present (Y/N; UTM; description of habitat if present)
TP01, TPS1, TPW1, CUM1	Tail Blazing Star (<i>Liatis aspera</i>) - S3/SC	Occurs in open, sandy woods, dry roadsides and sandy prairies	(Y) N UTM N/O
FE0, FES, FET, MAM2, MAM3	Tuberous Indian Plantain (<i>Amoglossum plantagineum</i>) - S3 Bloom Time – mid-March to mid-June	Occurs mainly in flat, sandy areas of the Bruce Peninsula. Fens, wet meadows, and calcareous river flats	(Y) N UTM
FOC1, FOC2, FOC3, FOC4	Woodland Pinedrops (<i>Pterospora andromedea</i>) - S2 Bloom Time – summer	Found in conifer woods, under pines, but also hemlock, spruce, fir, and white cedar. In dry or rocky soil, often with common juniper and sometimes aspen or birch.	(Y) N UTM
CUM1, CUT1, CUW1, BO1, SBO1	Yellow Ladies'-treasures (<i>Spiranthes ochroleuca</i>) - S2 Bloom Time – August to November	Dry, open sites, usually on acidic sandy soil. dry to mesic open-woodland, thickets, meadows, barrens, ledges, outcrops, banks and roadsides, (old fields).	(Y) N UTM: N/O
BIRDS			
-	Bald Eagle (<i>Haliaeetus leucocephalus</i>) - SC	Assessed as SWH. Record species if found	not required.
CUW, SDO, RBO, TPS	Common Nighthawk (<i>Chordeiles minor</i>) - SC	Hunts insects over a wide variety of habitats, in particular open or semi-open areas. Nests on ground in a wide range of open, sparse or vegetation-free habitats.	(Y) N UTM:
FOD, FOM	Louisiana Waterthrush (<i>Seiurus motacilla</i>) - SC	Inhabits mature forests along steeply sloped ravines adjacent to running water. Trees, bushes, exposed roots, cliffs, banks and mossy logs are favoured nesting spots. Riparian woodlands are preferred stopover sites during migration	(Y) N UTM:
FOD, CUW, CUT	Red-headed Woodpecker (<i>Melanerpes erythrocephalus</i>) - SC	Species inhabits open woodland/edges (oak savannahs and riparian forest), open, deciduous forest with little understory, fields or pasture lands with scattered large trees, wooded swamps, orchards, small woodlots or forest edges; groves of dead or dying trees, requires cavity trees with at least 40 cm dbh; requires about 4 ha for a territory.	(Y) N UTM:
-	Short Eared Owl (<i>Asio flammeus</i>) - SC	Assessed as SWH. Record species if found	not required.
CUT1	Yellow-breasted Chat (<i>Icteria virens</i>) - SC	Inhabits thickets, tall tangles of shrubbery beside streams, ponds; overgrown bushy clearings with deciduous thickets, nests above ground in bush, vines	(Y) N UTM:
REPTILES			
-	Eastern Ribbonsnake (<i>Thamnophis sauritus</i>) - SC	Assessed as SWH. Record species if found.	not required.
-	Milksnake (<i>Lampropeltis triangulum</i>) -SC	Assessed as SWH. Record species if found.	not required.
-	Snapping Turtle (<i>Chelydra serpentina</i>) - SC	Assessed as SWH. Record species if found.	not required.
INSECTS			
OAO, SA, SWM, SWD	Azure Bluet (<i>Enallagma aspersum</i>) -S3	Species inhabits fishless ponds, lakes and boggy swamps	(Y) N UTM
TPS, TPW	Sleepy Duskywing (<i>Erynnis brizo</i>) - S1	Occurs in oak/oak-pine scrub, chaparral, barrens, well-drained sandy or shaly soils. Species regularly seen at flowers-in-oak-woods, on the ground, and at mud puddles	(Y) N UTM:
CUM1, CUT1, CUW1	Monarch Butterfly (<i>Danaus plexippus</i>) - SC	Larvae only feed on milkweeds (<i>Asclepius</i> spp.). Habitat includes abandoned farmland, along roadsides, open spaces where these plants grow	(Y) N UTM: N/O
TPS, CUW	Mottled Duskywing (<i>Erynnis martialis</i>) -S2	Usually seen nectaring or on wet sandy roads. Larvae feeds on New Jersey Tea and adults only likely near where this plant is present	(Y) N UTM:
SWT, SWD, SWM, FOM, FOD4-3, TPW, TPS, CUM1	Tawny Emperor (<i>Asterocampa clyton</i>) - S3	Species inhabits densely wooded riparian areas, dry woods, open woods, fencerows and parks. Usually occurs near Hackberry, the larval foodplant	(Y) N UTM:
FOD5	West Virginia White (<i>Pieris virginianalis</i>) - SC	This species is restricted to rich, moist, deciduous woods, where its foodplant Toothwort occur	(Y) N UTM:

Path: D:\Projects\AECOM\60165032\2011GIS\SpatialInfo\Qoshen\Feld Maps Dec 2011\QSH_Feature346_346.mxd



Polygon Description

System	Substrate	Topographic Features	Plant Form	Community
☒ Terrestrial	☐ Organic	☐ Lacustrine	☐ Plankton	☐ Lake
☒ Wetland	☒ Mineral Soil	☐ Riverine	☐ Submerged	☐ Pond
☐ Aquatic	☐ Parent Min.	☐ Bottomland	☐ Floating-LVD.	☐ River
Site	☐ Acidic Bedrk	☐ Terrace	☐ Granitoid	☐ Stream
☐ Open Water	☐ Basic Bedrk	☐ Valley Slope	☐ Fob	☐ Marsh
☐ Shallow Water	☐ Carb. Bedrk	☒ Tableland	☐ Lichen	☐ Swamp
☐ Surtical Dep.		☐ Roll. Upland	☐ Bryophyte	☐ Fen
☐ Bedrock		☐ Cliff	☒ Deciduous	☐ Bog
History		☐ Talus	☐ Coniferous	☐ Barren
☒ Natural		☐ Crevice/Cave	☐ Mixed	☐ Meadow
☐ Cultural		☐ Avar		☐ Prairie
Cover		☐ Rockland		☐ Thicket
☐ Open		☐ Beach / Bar		☐ Savannah
☐ Shrub		☐ Sand Dune		☐ Woodland
☒ Tree		☐ Bluff		☐ Forest
				☐ Plantation

Stand Description

Layer	HT	CVR	Species in Order of Decreasing Dominance (up to 4 sp) (> Much Greater Than; > Greater Than; = About Equal To)
1	1	3	BETPAPU > ULMAMER = FRAX SP.
2	2	4	BETPAPU > ULMAMER = FRAX SP.
3	3	3	LEVERIS MAIDMUS HAMVIG
4	4-5	2	GLIM SP. > PRIVIRIG > RUB. CF. ACCE

HT Codes: 1 <0.2m 8 >0.2-0.5m 5 >0.5-1m 4 >1-2m 3 >2-6m 2 >8-25m 1 >25m
CVR Codes: 0 none 1 0%-10% 2 10-25% 3 25-60% 4 >60%

[illegible]

Com. Age:	☐ Pioneer	☐ Young	☒ Mid-Age	☐ Mature	☐ Old Growth
-----------	----------------------------------	--------------------------------	---	---------------------------------	-------------------------------------

Ecosyste:	Dry-Fresh	Davidson's Forest	Ecosys Code:	FOD4
Vegetation			Code:	
Type:			Code:	
Inclusion:			Code:	
Complex:			Code:	

Community Profile Diagram/Comments

Notes:

[illegible][illegible]

Polygon Description

System	Substrate	Topographic Feature	Plant Form	Community
☒ Terrestrial	☒ Organic	☐ Lacustrine	☐ Plankton	☐ Lake
☐ Wetland	☐ Mineral Soil	☐ Riverine	☐ Submerged	☐ Pond
☐ Aquatic	☐ Parent Min.	☐ Bottomland	☐ Floating L.V.D.	☐ River
☐ Salt	☐ Acidic Bedrk	☐ Terrace	☐ Granthoid	☐ Stream
☐ Open Water	☐ Basic Bedrk	☐ Valley Slope	☐ Forb	☐ Marsh
☐ Shallow Water	☐ Carb. Bedrk	☒ Tidaland	☐ Lichen	☐ Swamp
☐ Surficial Dep.		☐ Roll. Upland	☐ Bryophyte	☐ Fen
☐ Bedrock		☐ Cliff	☐ Deciduous	☐ Bog
History		☐ Talus	☒ Coniferous	☐ Barren
☐ Natural		☐ Crevice/Cave	☐ Mixed	☐ Meadow
☒ Cultural		☐ Avar		☐ Prairie
Cover		☐ Rockland		☐ Thicket
☐ Open		☐ Beach / Bar		☐ Savannah
☐ Shrub		☐ Sand Dune		☐ Woodland
☒ Treed		☐ Bluff		☐ Forest
				☒ Plantation

Layer	HT	CVR	Species in Order of Decreasing Dominance (up to 4 sp) (> Much Greater Than; > Greater Than; = About Equal To)
1	1	0	
2	2	4	Pinstro
3	3	2	FRAX sp.
4	4-7	1	FRAX sp.

HT Codes:	7 <1.2m	8 >0.2-0.5m	5 >0.5-1m	4 >1.2m	3 >2.6m	2 >6-25m	1 >25m
CVR Codes:	0 = none	1 0% - 10%	2 10 - 25%	3 25 - 60%	4 >60%		

Strand Composition:	Size Class Analysis:			
	R	Q	A	N
	<10	10-24	25-50	>50
Stranding Snags:	R	Q	A	N
	<10	10-24	25-50	>50
Deadfall / Logs:	N	10-24	N	>50

Abundance Codes:	N = None	R = Rare	O = Occasional	A = Abundant
------------------	----------	----------	----------------	--------------

Com. Age:	☐ Pioneer	☐ Young	☒ Mid Age	☐ Mature	☐ Old Growth
Ecosite:	Coniferous Plantation				Code: CUP3
Vegetation Type:	White Pine Coniferous Plantation				Code: CUP3-2
Inclusion:					Code:
Complex:					Code:

Community Profile Diagram/Comments

Notes:

[illegible]

Soil Horizon Description						Depth to...		Site Metrics								Summary			
						Bedrock	Effective Texture (Indicate below)	UTM								Moisture Regime			
								Slope											
								Zone	Easting	Northing	Position	Aspect	Percent	Slope	Length				
								Mottles	Gley	Water Table	Carbonates								
1	Depth from zero	% CF	% CF	% CF	% CF														
	Texture																		
2	Depth from zero	% CF	% CF	% CF	% CF														
	Texture																		
3	Depth from zero	% CF	% CF	% CF	% CF														
	Texture																		
4	Depth from zero	% CF	% CF	% CF	% CF														
	Texture																		
	% Surface Stone/Rock																		
	Moisture Regime																		
	Drainage																		

VASCULAR PLANT LIST
PROJECT / LOCATION: **FEATURE 346**

SURVEYOR(S): R. Aitken, B. Miller

DATE(S): DEC. 12, 2011

POLYGON: 7. + 8.

VEGETATION TYPE:

NOTES: Crow, Cedar Waxwing,

[illegible]

Relative Abundance: D = Dominant; A = Abundant; O = Occasional; R = Rare
Vegetation Height: C = > 20m; SC = 10 - 20m; U = 2 - 10m; GL = < 2m

Page ____ of ____

POLYGON 7. $\frac{1}{2}$ 8.

Location: FEATURE 346
Observer: B. Miller R. Aitken

VASCULAR PLANT CHECKSHEET

Date: DEC. 12, 2011

Job Number:[illegible]

1: Polygon 7.

2: Polygon 8.

.....

4: _____

5: _____

6: _____

SITE LOCATIONS

FEATURE 346

POLYGONS 7. & 8.

[illegible]

VASCULAR PLANT LIST
PROJECT / LOCATION: **FEATURE 349**

POLYGON: 9.

PROJECT / LOCATION: FEATURE 399

SURVEYOR(S): B. Miller, R. Aitken

DATE(S): Dec. 12, 2011

VEGETATION TYPE:

NOTES:

[illegible]

Abundance: D = Dominant; A = Abundant; O = Occasional; R = Rare
 Weight: C = > 20m; SC = 10 - 20m; U = 2 - 10m; GL = < 2m

VASCULAR PLANT CHECKSHEET

Location: Feature 349
Observer: B. Miller, R. Aitken

Date: Dec. 12, 2011
Job Number: .

[illegible]

SITE LOCATIONS

1: _____ 4: _____
2: _____ 5: _____
3: _____ 6: _____

Feature 349

POLYGON 9.

1	2	3	4	5	6	1	2	3	4	5	6	1	2	3	4	5	6
CONIFERS						TREES and SHRUBS						GRAMINOIDS					
<i>Abies balsamea</i>						+ <i>Rosa multiflora</i>						<i>Agrostis gigantea</i>					
<i>Juniperus communis</i>						<i>Rosa</i>						<i>Agrostis stolonifera</i>					
<i>Juniperus virginiana</i>						<i>Rubus alleghaniensis</i>						<i>Agropyron repens</i>					
<i>Larix laricina</i>						<i>Rubus idaeus</i>						<i>Alopecurus</i>					
<i>Picea abies</i>						<i>Rubus occidentalis</i>		X				<i>Bromus inermis</i>					
<i>Picea glauca</i>						<i>Rubus odoratus</i>						<i>Calamagrostis canadensis</i>					
<i>Pinus resinosa</i>						<i>Rubus phoeniceus</i>						<i>Carex acutata</i>					
<i>Pinus strobus</i>						<i>Salix alba</i>						<i>Carex aurea</i>					
<i>Pinus sylvestris</i>						<i>Salix amygdaloides</i>						<i>Carex bebbii</i>					
<i>Thuja occidentalis</i>						<i>Salix bebbiana</i>						<i>Carex blanda</i>					
<i>Thuja canadensis</i>						+ <i>Salix discolor</i>						<i>Carex gracillima</i>					
						<i>Salix eriocephala</i>						<i>Carex glauclaris</i>					
						<i>Salix eximia</i>						<i>Carex hyemalis</i>					
						<i>Salix lucida</i>						<i>Carex pennsylvanica</i>					
						<i>Salix petiolaris</i>						<i>Carex radiata</i>					
						+ <i>Salix purpurea</i>						<i>Carex retrofracta</i>					
						<i>Salix x rubens</i>						<i>Carex stipitata</i>					
TREES and SHRUBS						+ <i>Salix</i>						<i>Carex stricta</i>					
<i>Acer negundo</i>						<i>Sambucus canadensis</i>						<i>Carex vulpinoidea</i>					
<i>Acer rubrum</i>						<i>Sambucus racemosa</i>						<i>Carex</i>					
<i>Acer saccharinum</i>						<i>Sorbus aucuparia</i>						<i>Carex</i>					
<i>Acer saccharum</i>						<i>Spiraea alba</i>						<i>Carex</i>					
<i>Acer spicatum</i>						<i>Syringa vulgaris</i>						<i>Carex</i>					
<i>Alnus rugosa</i>						+ <i>Tilia americana</i>						<i>Carex</i>					
<i>Amelanchier</i>						<i>Ulmus americana</i>		X				<i>Carex</i>					
<i>Berberis thunbergii</i>						<i>Ulmus</i>						<i>Carex</i>					
<i>Betula alleghaniensis</i>						<i>Vaccinium</i>						<i>Carex</i>					
<i>Betula papyrifera</i>						<i>Viburnum lentago</i>						<i>Carex</i>					
<i>Carpinus caroliniana</i>	X					<i>Viburnum opulus</i>						<i>Cyperus</i>					
<i>Carya cordiformis</i>						<i>Viburnum</i>						<i>Cyperus</i>					
<i>Celastrus scandens</i>						<i>Vitis riparia</i>		X				<i>Dactylis glomerata</i>					
<i>Cornus alternifolia</i>												<i>Danthonia spicata</i>					
<i>Cornus amomum</i>												<i>Echinochloa crus-galli</i>					
<i>Cornus rugosa</i>												<i>Eleocharis erythropoda</i>					
<i>Cotinus stolonifera</i>												<i>Eleocharis</i>					
<i>Corylus cornuta</i>												<i>Elymus virginicus</i>					
<i>Crataegus monogyna</i>												<i>Elymus</i>					
<i>Crataegus punctata</i>												<i>Festuca arundinacea</i>					
<i>Crataegus sp.</i>												<i>Glyceria striata</i>					
<i>Crataegus</i>												<i>Glyceria</i>					
<i>Diervilla lonicera</i>												<i>Juncus dudleyi</i>					
<i>Fagus grandifolia</i>												<i>Juncus effusus</i>					
<i>Fraxinus americana</i>												<i>Juncus tenuis</i>					
<i>Fraxinus nigra</i>						FERNS						<i>Juncus</i>					
<i>Fraxinus pennsylvanica</i>	X					<i>Adiantum pedatum</i>						<i>Juncus</i>					
<i>Ilex verticillata</i>	X					<i>Athyrium filix-femina</i>						<i>Juncus</i>					
<i>Juglans cinerea</i>						<i>Botrychium multifidum</i>						<i>Leersia oryzoides</i>					
<i>Juglans nigra</i>	X					<i>Botrychium virginianum</i>						<i>Muhlenbergia</i>					
<i>Lonicera morrowi</i>						<i>Cystopteris bulbifera</i>						<i>Oryzopsis asperifolia</i>					
<i>Lonicera tatarica</i>						<i>Dryopteris carthusiana</i>						<i>Panicum</i>					
<i>Lonicera</i>						<i>Dryopteris cristata</i>						<i>Panicum</i>					
<i>Malus punila</i>						<i>Dryopteris marginalis</i>						<i>Phalaris arundinacea</i>					
<i>Ostrya virginiana</i>						<i>Dryopteris</i>						<i>Pitcairnia praecox</i>					
<i>Parthenocissus litoralis</i>	X					<i>Equisetum arvense</i>						<i>Phragmites australis</i>					
<i>Populus balsamifera</i>						<i>Equisetum hyemale</i>						<i>Poa compressus</i>					
<i>Populus grandidentata</i>						<i>Equisetum variegatum</i>						<i>Poa pratensis</i>					
<i>Populus tremuloides</i>						<i>Equisetum</i>						<i>Poa</i>					
<i>Populus</i>						<i>Gymnocarpium dryopteris</i>						<i>Scirpus atrovirens</i>					
<i>Prunus pennsylvanica</i>						<i>Lycopodium digitatum</i>						<i>Scirpus cyperinus</i>					
<i>Prunus serotina</i>						<i>Lycopodium obscurum</i>						<i>Scirpus validus</i>					
<i>Prunus virginiana</i>						<i>Lycopodium</i>						<i>Scirpus</i>					
<i>Prunus</i>						<i>Lycopodium</i>						<i>Scirpus</i>					
<i>Quercus macrocarpa</i>						<i>Mitella struthiopteris</i>						<i>Setaria</i>					
<i>Quercus rubra</i>						<i>Onoclea sensibilis</i>						<i>Sparganium</i>					
<i>Quercus</i>						<i>Osmunda cinnamomea</i>						<i>Typha angustifolia</i>					
<i>Rhamnus cathartica</i>	X					<i>Osmunda regalis</i>						<i>Typha latifolia</i>					
<i>Rhus radicans</i>						<i>Polystichum acrostichoides</i>						<i>Typha x glauca</i>					
<i>Rhus typhina</i>						<i>Pteridium aquilinum</i>											
<i>Ribes americana</i>						<i>Thelypteris palustris</i>											
<i>Ribes cynosbati</i>																	
<i>Ribes x rubrum</i>																	
<i>Robiola pseudo-acacia</i>																	

POTENTIAL WILDLIFE HABITAT:	
☐	VERNAL POOLS
☐	HIBERNACULA
☒	SNAGS
☒	FALLEN LOGS

[illegible]

Page ____ of ____

Wetland Data Collection Sheet

AECOM

Study area: <u>Goshen</u>	Map No: <u>346/349 GSH 1041</u>
Date (yyyy-mm-dd): <u>2012-07-07</u>	Time Started: <u>4:30 PM</u>
Field Staff: <u>SG, -S</u>	Time Finished: <u>5:30 PM</u>

Presence of Groundwater ☐ bank seepage ☒ No ☒ Yes ☐	☐ iron staining ☐ groundwater indicator
--	---

Site Type Lacustrine ☐ (associated with lakes) Riverine ☐ (associated with rivers) Palustrine ☐ absent or intermittent inflow and either intermittent or permanent outflow Isolated ☒	what are the water inputs and outputs? <u>precipitation</u>
--	---

Soils refer to ELC card for soils information <u>30 cm = sandy loam, 30 cm = fine sand w faint mottles</u>
--

% open Water Type 1 - <5% ☒ Type 2 - 5-25% ☐ (water occurring in one central location) Type 3 - 5-25% ☐ (water occurring in ponds of various sizes) Type 4 - 26-75% ☐ (water occurring in a central location)	Type 5 - 26-75% ☐ (water occurring in a small pattern) Type 6 - 76-95% ☐ (occurring in a central location, vegetation is peripheral) Type 7 - 76-95% ☐ (vegetation occurs in patches or diffuse, open stands) Type 8 - >95% ☐ (water occupies over 95% of the area)
--	--

Community Descriptions

Vegetation forms			
h (deciduous trees)	ne (narrow leaved emergents)	ts (tall shrubs 1-6m)	f (aquatic with floating leaf)
c (coniferous trees)	be (broad leaved emergents)	ls (low shrubs up to 1m)	ff (free floating)
dh (dead deciduous trees)	gc (ground cover)	ds (dead shrubs)	su (all under water)
dc (dead coniferous trees)	m (mosses)	re (robust emergents)	u (unvegetated)

Map Code/ ELC Code	Community Description - list at least four dominant species for each form
<u>P04:1</u>	<u>h - Frax pennsylvanica</u> <u>ls - Linnaea - Rhacoma</u> <u>gc - Geum album - low rubus - red - idae</u>
<u>F07-2</u>	

Wetland Data Collection Sheet

AECOM

Notes on Ecological Functions or features

should include notes on: furbearer, cranberries, wild rice, baitfish, bullfrogs, winter cover for wildlife, suitability for waterfowl breeding staging, moulting, evidence of recreational activities, disturbance, surrounding topography (flat, rolling, hilly, steep), and surrounding habitat diversity

- Adjacent to small section of waterway, primarily composed of a dug stream for 7-2 borders a F0074, which comprises the rest of the F0074 feature.
- Little evidence of disturbance.

Completed Aug 16/11 North-Central
-SAP

Goshen Access Road / Collection Lines

352 - GSH 1040



- ELC to Evaluate
- Access/Collection Line
- Watercourse
- No Access (as of August 2011)
- Goshen Wind Energy Centre
- Access
- 120m Buffer





59411611 EL5 0514

Poles 271-73
WP 056 } Run a
Pole (Pole)

ELC

Community Description and Classification

Site: 342 WP 211
 Surveyor(s): SAH Date: Aug. 16/11 Polygon: 1
 UTMZ: 17 UTMZ: UTM Time start: 1309h finish: 1644h

Polygon Description

System	Substrate	Topographic Feature	Plant Form	Community
☒ Terrestrial ☐ Wetland ☐ Aquatic	☐ Organic ☒ Mineral Soil ☐ Parent Min. ☐ Acidic Bedrock ☐ Basic Bedrock ☐ Carb. Bedrock	☐ Lacustrine ☐ Riverine ☐ Bottomland ☐ Terrace ☐ Valley Slope ☐ Tableland ☒ Rolling Upland ☐ Cliff ☐ Talus ☐ Crevice/Cave ☐ Alvar ☐ Rockland ☐ Beach / Bar ☐ Sand Dune ☐ Bluff	☐ Plankton ☐ Submerged ☐ Floating-LVD ☐ Graminoid ☐ Forb ☐ Lichen ☐ Bryophyte ☒ Deciduous ☐ Coniferous ☐ Mixed	☐ Lake ☐ Pond ☐ River ☐ Stream ☐ Marsh ☐ Swamp ☐ Fen ☐ Bog ☐ Barren ☐ Meadow ☐ Prairie ☐ Thicket ☐ Savanna ☐ Woodland ☒ Forest ☐ Plantation

Stand Description

Layer	HT	CVR	Species in Order of Decreasing Dominance (up to 4 sp)
1	2	4	MA > BE > AW > BD
2	2-3	3	MA > BE > AW > BD
3	4-5	2	MA > BE > AW > BD
4	6	2	MA > BE > AW > BD

HT Codes: 7-0.2m 8-0.2-0.5m 8-0.5-1m 4-1-2m 3-2-5m 2-6-25m 1-25m
 CVR Codes: 0 = none 1 0% - 10% 2 10 - 25% 3 25 - 50% 4 50 - 75% 5 75 - 100%

Stand Composition:	Size Class Analysis:	Standing Snags:	Deadfall / Logs:
MA BE AW BD	A <10 A <10 A <10 A <10	A <10 A <10 A <10 A <10	A <10 A <10 A <10 A <10

Abundance Codes: N = None R = Rare O = Occasional A = Abundant

Com. Age: ☐ Pioneer ☐ Young ☐ Mid-Age ☒ Mature ☐ Old Growth

Ecocline:	Code:
Vegetation Type:	Code:
Inclusion:	Code:
Complex:	Code:

Community Profile Diagram/Comments

Notes:

Tree Tally by Species

Species	Tally 1	Tally 2	Tally 3	Tally 4	Total	Rel. Avg.
MA	17	8			25	53
BE	12	4			16	23
AW	0	3			3	10
BD	0	1			1	3
MA	13	17			30	100
BE	26	34			60	30
AW	2	2			4	2
BD						
Total						
Basal Area (BA)						
Dead						

Soils Ontario and ELC Soils Description

Site Metrics	Plt/Auger #	Soils Description	Summary
Zone	WPAN 1		
Easting			
Northing			
Position			
Aspect	SE	4	
Percent	7	NE	
Slope	5m	5	
Length	36	4m	
Mottles	>120	27	
Gley	>120	>120	
Water Table	>120	>120	
Carbonates	21	36	
Bedrock	>120	>120	
Depth from zero	0	0	% CF
Texture	vfSCL	vfSCL	% CF
Depth from zero	13	15	% CF
Texture	vfSC	vfSC	% CF
Depth from zero	28	21	% CF
Texture	vfSC	vfSC	% CF
Depth from zero	53		% CF
Texture	C		% CF
% Surface Stone/Rock	2%		
Moisture Regime			
Drainage			

Location: 342 GSH 1040/1164 VASCULAR PLANT CHECKSHEET
Observer: SAM Date: Aug 16/11 & July 19/11
Job Number:

342 GSH 1040/1164

CHECKSHEET
Aug 16/11 & July 19/11

SAN

Job Number.

1: polygon ^{is} | 4: _____

2: _____ 5: _____

3: _____ 6: _____

SITE LOCATIONS

CONIFERS						TREES and SHRUBS						GRAMINEOIDS					
1	2	3	4	5	6	1	2	3	4	5	6	1	2	3	4	5	6
Abies balsamea						+ Rosa multiflora						Agrostis gigantea					
Juniperus communis						Rosa						Agrostis stolonifera					
Juniperus virginiana						Rubus allegheniensis						Agropyron repens					
Larix laricina						Rubus idaeus						Alopecurus					
Picea abies						Rubus occidentalis						Bromus inermis					
Picea glauca						Rubus odoratus						Calamagrostis canadensis					
Picea resinosa						Rubus pubescens						Carex acutata					
Pinus strobus						Salix alba						Carex aurea					
Pinus sylvestris						Salix amygdaloides						Carex bebbii					
Thuja occidentalis						Salix bebbiana						Carex blanda					
Tsuga canadensis						+ Salix discolor						Carex gracillima					
						Salix eriocephala						Carex granulata					
						Salix exigua						Carex hystericina					
						Salix lucida						Carex pennsylvanica					
						Salix petiolaris						Carex radiata					
TREES and SHRUBS						+ Salix purpurea						Carex retrofracta					
Acer negundo						Salix x rubens						Carex stipitata					
Acer rubrum						+ Salix						Carex stricta					
Acer saccharinum						Sambucus canadensis						Carex vulpinoidea					
Acer saccharum						Sambucus racemosa						Carex					
Acer spicatum						Sorbus aucuparia						Carex					
Alnus rugosa						Spiraea alba						Carex					
Amelanchier						Syringa vulgaris						Carex					
Berberis thunbergii						+ Tilia americana						Carex					
Betula alleghaniensis						Ulmus americana						Carex					
Betula papyrifera						Ulmus						Carex					
Carpinus caroliniana						Vaccinium						Carex					
Carya cordiformis						Viburnum lentago						Cyperus					
Celastrus scandens						Viburnum opulus						Cyperus					
Cornus alternifolia						Viburnum						Dactylis glomerata					
Cornus amomum						Vitis riparia						Danthonia spicata					
Cornus rugosa												Echinochloa crus-galli					
Cornus stolonifera												Eleocharis erythropoda					
Corylus cornuta												Eleocharis					
Crataegus monogyna												Elymus virginicus					
Crataegus punctata												Elymus					
Crataegus sp.												Festuca arundinacea					
Crataegus												Glyceria striata					
Dicentra ionicea												Glyceria					
Fagus grandifolia												Juncus dudleyi					
Fraxinus americana												Juncus effusus					
Fraxinus nigra						FERNS						Juncus tenuis					
Fraxinus pennsylvanica						Adiantum pedatum						Juncus					
Ilex verticillata						Athyrium filix-femina						Juncus					
Juglans cinerea						Botrychium multifidum						Leersia oryzoides					
Juglans nigra						Botrychium virginianum						Maloloborgia					
Lonicera morrowi						Cystopteris bulbifera						Oryzopsis asperifolia					
Lonicera tatarica						Dryopteris caudifolia						Panicum					
Lonicera						Dryopteris cristata						Panicum					
Malus pensila						Dryopteris marginalis						Phalaris arundinacea					
Ostrya virginiana						Dryopteris						Phleum pratense					
Parthenocissus inserta						Equisetum arvense						Potamogeton australis					
Populus balsamifera						Equisetum hyemale						Poa compressa					
Populus grandidentata						Equisetum variegatum						Poa pratensis					
Populus tremuloides						Equisetum						Poa					
Populus						Gymnocarpium dryopteris						Scirpus atrovirens					
Prunus pennsylvanica						Lycopodium digitatum						Scirpus cyperinus					
Prunus serotina						Lycopodium obscurum						Scirpus validus					
Prunus virginiana						Lycopodium						Scirpus					
Prunus						Lycopodium						Scirpus					
Quercus macrocarpa						Mattesia struthiopteris						Scirpus					
Quercus rubra						Osmunda sensibilis						Setaria					
Quercus						Osmunda cinnamomea						Sparganium					
Rhamnus cathartica						Osmunda regalis						Typha angustifolia					
Rhus radicans						Polystichum acrostichoides						Typha latifolia					
Rhus typhina						Periclymenum aquilinum						Typha glauca					
Ribes americanum						Thelypteris palustris											
Ribes cynosbati																	
Ribes x rubrum																	
Robinia pseudo-acacia																	
Cornus rugosa																	
Ribes lacustris																	
Carya ovata																	
Ribes fruticosum																	

ELC Plant Species List	SITE: GSA 1040 / 1164
	POLYGON: ①
	DATE: Aug. 16/11
	SURVEYOR(S): SAM

LAYERS: 1 = CANOPY 2 = SUB-CANOPY 3 = UNDERSTORY 4 = GROUND (GRD.) LAYER

ABUNDANCE CODES: R = RARE O = OCCASSIONAL A = ABUNDANT D = DOMINANT

SPECIES CODE	LAYER				COLL.
	1	2	3	4	
Bn	A				
Aw		O	D	D	
Ew					
Grape					
Virg. Creeper					
Mt	D	D	A	A	
Scar. Cherry					
Blk Rasp					
AG					
Apple					
Pl					
Red Osier Dogwood					
Be	D	A	A		
Gray Dogwood					
HBW					
Poa compressa					
Pop Sedge					
Pan. Aster					
Self Heal					
Blk Bulrush					
Cat tail water					
Bowman					
GLG'rod					
Redtop					
Wild Ginger					
Bristly Blk Currant					
Jack					
Com. Borberry					

[illegible]

ELC

Plant Species List

SITE:

~~By the water~~

GE 14/342-GSHB49

POLYGON:

DATE:

July 19/11

SURVEYOR(S):

SAM

ABUNDANCE CODES: R = RARE O = OCCASSIONAL A = ABUNDANT D = DOMINANT

[illegible][illegible]

EAWP
PIWO
YTUI

Goshen Feature: 358 GSH11119/11166

Properties that contain Features within 125m from Collection lines and 171.5m from Turbines)

Nov 9/2011
James Kean Street



October 28, 2011



- Roads
- Access/Collection Line
- Survey to be Completed
- Turbine Buffer (171.5m)

- ELC Survey Completed
- Turbine Buffer/Feature Intersect
- Property Fabric
- Goshen Wind Energy Centre

ORIGINAL

Leased
(Accessible)
GSH1005

Forced into Survey



FAD5-2

NO ACCESS

Accessible

Aoe=Yes

GSH1119

GSH1166

Roe=No

GSH1120

-confirm timeline
of GSH1166

Goshen Feature: 358 GSH1119/GSH1166

(Properties that contain Features within 125m from Collection lines and 171.5m from Turbines)

- h
- Access/Collection Line
 - Collection Buffer (125m)
 - Turbine Buffer (171.5m)
 - Collectors/Features Intersect
 - Turbine Buffer/Feature Intersect
 - Property Fabric
 - Blowdown Wind Energy Corridor

September 1, 2011

5 50 100 Meters



ELC Community Description and Classification	Site: 388_GSH119		Polygon: A	
	Surveyor(s): Kamster		Date: Sept 7/11	Time start: 15:40
	UTMZ: 17	UTMZ: 449/40	UTMN: 4803200	

Polygon Description

System	Substrate	Topographic Feature	Plant Form	Community
☐ Terrestrial	☐ Organic	☐ Lacustrine	☐ Plankton	☐ Lake
☐ Wetland	☐ Mineral Soil	☐ Riverine	☐ Submerged	☐ Pond
☐ Aquatic	☐ Parent Min.	☐ Bottomland	☐ Floating-LVD.	☐ River
Site	☐ Acidic Bedrk	☐ Terrace	☐ Graminoid	☐ Stream
☐ Open Water	☐ Basic Bedrk	☐ Valley Slope	☐ Forb	☐ Marsh
☐ Shallow Water	☐ Carb. Bedrk	☒ Tableland	☐ Lichen	☐ Swamp
☐ Surficial Dep.		☐ Roll. Upland	☐ Bryophyte	☐ Fen
☐ Bedrock		☐ Cliff	☒ Deciduous	☐ Bog
History		☐ Talus	☐ Coniferous	☐ Barren
☐ Natural		☐ Crevice/Cave	☐ Mixed	☐ Meadow
☐ Cultural		☐ Alvar		☐ Prairie
Cover		☐ Rockland		☐ Thicket
☐ Open		☐ Beach / Bar		☐ Savannah
☐ Shrub		☐ Sand Dune		☐ Woodland
☐ Treed		☐ Bluff		☒ Forest
				☐ Plantation

Stand Description

Layer	HT	GVR	Species in Order of Decreasing Dominance (up to 4 sp) (> Much Greater Than; > Greater Than; = About Equal To)
1	2	4	Faggrum > Aescalu > Osting > Fraxin
2	3	3	Aescalu > Faggrum
3	3	3	Faggrum - Fraxin
4	6	3	Satfag - Osting - Pluradi - Astlave - Alfric

HT Codes: 7 < 0.2m 6 > 0.2-0.5m 5 > 0.5-1m 4 > 1-2m 3 > 2-6m 2 > 6-25m 1 > 25m
 GVR Codes: 0 = none 10% - 10% 20% - 20% 35% - 60% 4 > 60%

Stand Composition:	Size Class Analysis:			
	Standing Snags:			
BA:	Deadfall / Logs:			
	A	<10	A	10-24
		<10	B	10-24
	A	<10	A	10-24
				25-50
				25-50
				25-50

Abundance Codes: N = None R = Rare O = Occasional A = Abundant

Com. Age:	☐ Pioneer	☐ Young	☐ Mid-Age	☒ Mature	☐ Old Growth
-----------	----------------------------------	--------------------------------	----------------------------------	--	-------------------------------------

Ecosite:		Code:
Vegetation Type:	FOD5-2	Code:
Inclusion:		Code:
Complex:		Code:

Community Profile Diagram/Comments

Sugar Maple - Beech, Brist but Beech $> 50\%$

Violations

Turn Over

Tree Tally by Species

[illegible]

Soils Ontario and ELC Soils Description

Pit/Auger #									Summary	
Site Metrics	UTM	Zone							Moisture Regime	
		Easting								
		Northing								
		Position								
		Aspect								
	Slope	Percent							Drainage	
		Slope Length								
		Mottles								
		Gley								
		Water Table								
Depth to ...		Carbonates							Effective Texture (Indicate below)	
		Bedrock								
		1	Depth from zero	% CF	% CF	% CF	% CF	% CF		
		Texture								
		2	Depth from zero	% CF	% CF	% CF	% CF	% CF		
	Soil Horizon Description		Texture							% CF
			3	Depth from zero	% CF	% CF	% CF	% CF	% CF	
			Texture							
			4	Depth from zero	% CF	% CF	% CF	% CF	% CF	
			Texture							
		% Surface Stone/Rock							% CF	
		Moisture Regime								
		Drainage								

Site 358 Polygon B

Sept 7

UTM: 449185 / 4803175

meadow marsh along intermittent flow channel through Woodlot

4-1 Samcava

5/6-4 Impcave > Polylapa - Sol - Rum obtu

Forb Mixed Meadow Marsh MAM 2-10

VASCULAR PLANT CHECKSHEET

Location: Cosheo 358
 Observer: Kamstra

Date: _____
 Job Number: _____

DICOT HERBS												MONOCOT HERBS					
1	2	3	4	5	6	1	2	3	4	5	6	1	2	3	4	5	6
Achillea millefolium						Erigeron annuus						Plantago lanceolata					
Actaea pachypoda	X					Erigeron philadelphicus						Plantago major					
Actaea rubra						Erigeron strigosus						Plantago rugelii					
Agalinis						Erysimum cheiranthoides						Podophyllum peltatum					
Agrostis grypocarpa						Eupatorium maculatum						Polygonum					
Alliaria petiolata						Eupatorium perfoliatum						Polygonum					
Amaranthus retrofractus						Eupatorium rugosum						Polygonum lapathifolium	X				
Androsace serotina	X	X				Euphorbia						Polygonum persicaria					
Amphicarpaea bracteata						Euthamia graminifolia	X					Potentilla					
Anaphalis margaritacea						Fragaria virginiana						Potentilla norvegica					
Anemone						Fragaria vesca						Potentilla recta					
Anemone canadensis						Galeopsis tetrahit						Prenanthes-ella	X				
Anemone virginiana						Galium						Prunella vulgaris					
Antennaria neglecta						Galium						Pyrola elliptica					
Apocynum androsaemifolium						Galium palustre						Ranunculus					
Apocynum cannabinum						Galium triflorum						Ranunculus abortivus					
Aquilegia canadensis						Geranium maculatum						Ranunculus acris					
Aralia nudicaulis						Geranium robertianum	X					Rudbeckia hirta					
Arctium minus						Geum aleppicum						Rumex acetosella					
Artemisia						Geum canadense						Rumex crispus					
Aster canadensis						Geum	X					Rumex obtusifolius	X				
Aster inermis						Glechoma hederacea						Sanguinaria canadensis	X				
Aster spicatus						Hesperis matronalis						Saricula marilandica					
Aster						Hieracium aurantiacum						Saponaria officinalis					
Aster cordifolius						Hieracium caespitosum						Satureja vulgaris					
Aster ericoides						Hieracium						Scutellaria galericulata					
Aster lanceolatus	X	X				Hydrophyllum virginianum						Silene vulgaris					
Aster lateriflorus						Hypericum perforatum						Sium suave					
Aster macrophyllus						Impatiens capensis	X					Solanum dulcamara					
Aster novae-angliae						Impatiens						Solidago					
Aster puniceus						Inula helenium						Solidago altissima	X				
Berberis vulgaris						Lactuca						Solidago caesia					
Bidens cernua						Laportea canadensis						Solidago canadensis					
Bidens frondosa						Lapsana communis						Solidago flexicaulis	X				
Boehmeria cylindrica						Leonurus cardiaca						Solidago gigantea					
Caltha palustris						Lepidium						Solidago nemoralis					
Calyptegia sepium						Urtica vulgaris						Solidago rugosa					
Cerastium diphylla						Urtica dioica						Sonchus oleraceus					
Cardamine						Urtica dioica						Sonchus asper					
Caulophyllum thalictroides						Urtica dioica						Stellaria					
Centaurium fortatum						Urtica dioica						Tanacetum vulgare					
Centaurium demersum						Urtica dioica						Taraxacum officinale					
Chelidonium majus						Urtica dioica						Thalictrum dioicum					
Chenopodium album						Urtica dioica						Thalictrum pubescens					
Chrysanth. leucanthemum						Urtica dioica						Thalictrum cordifolium					
Cichorium intybus						Urtica dioica						Thalictrum pratense					
Cicuta						Urtica dioica						Thalictrum boreale					
Circaea lutetiana	X					Urtica dioica						Trifolium					
Cirsium arvense						Urtica dioica						Trifolium pratense					
Cirsium vulgare						Urtica dioica						Trifolium repens					
Clematis virginiana						Urtica dioica						Tussilago farfara					
Clintonia borealis						Urtica dioica						Urtica dioica					
Coryza canadensis						Urtica dioica						Urtica dioica					
Coronilla varia						Urtica dioica						Urtica dioica					
Cynanchum roseatum						Urtica dioica						Urtica dioica					
Cynoglossum officinale						Urtica dioica						Urtica dioica					
Deucus carota						Urtica dioica						Urtica dioica					
Desmodium canadense						Urtica dioica						Urtica dioica					
Dianthus armeria						Urtica dioica						Urtica dioica					
Dipsacus fulorum						Urtica dioica						Urtica dioica					
Echinocystis lobata						Urtica dioica						Urtica dioica					
Echium vulgare						Urtica dioica						Urtica dioica					
Epilobium						Urtica dioica						Urtica dioica					
Epilobium ciliatum						Urtica dioica						Urtica dioica					
Epilobium hirsutum						Urtica dioica						Urtica dioica					
Epilobium parviflorum						Urtica dioica						Urtica dioica					
Epitragus	X					Urtica dioica						Urtica dioica					
Arbitlon fl.	X					Urtica dioica						Urtica dioica					

SITE LOCATIONS

1: FOP 4: _____
 2: MAM 5: _____
 3: _____ 6: _____

1 CONIFERS						2 TREES and SHRUBS						3 GRAMINOIDS					
1	2	3	4	5	6	1	2	3	4	5	6	1	2	3	4	5	6
Abies balsamea						+ Rosa multiflora						Agrostis gigantea					
Juniperus communis						Rosa						Agrostis stolonifera					
Juniperus virginiana						Rubus allegheniensis						Agropyron repens					
Larix laricina						Rubus idaeus			X			Alopecurus					
Picea abies						Rubus occidentalis			X			Bromus inermis					
Picea glauca						Rubus odoratus						Calamagrostis canadensis					
Pinus resinosa						Rubus pubescens						Carex acutata					
Pinus strobus						Salix alba						Carex aurea					
Pinus sylvestris						Salix amygdaloides						Carex bebbii					
Thuja occidentalis						Salix bebbiana						Carex blanda				X	
Tsuga canadensis						+ Salix discolor						Carex gracillima				X	
						Salix eriocephala						Carex granularis					
						Salix exigua						Carex hystericina					
						Salix lucida						Carex pennsylvanica					
						Salix petiolatis						Carex radiata					
TREES and SHRUBS						+ Salix purpurea						Carex retrorsa					
Acer negundo	X					Salix x rubens						Carex stipata					
Acer rubrum						+ Salix						Carex stricta					
Acer saccharinum						Sambucus canadensis			X			Carex vulpinoidea					
Acer saccharum	X					Sambucus racemosa						Carex peruviana				X	
Acer spicatum						Sorbus aucuparia						Carex platyphylla				X	
Alnus rugosa						Spiraea alba						Carex					
Amelanchier						Syringa vulgaris						Carex					
Berberis thunbergii						+ Tilia americana			X			Carex					
Betula alleghaniensis						Ulmus americana			X			Carex					
Betula papyrifera						Ulmus						Carex					
Carpinus caroliniana						Vaccinium						Carex					
Carya cordiformis						Viburnum lentago						Carex					
Celastrus scandens						Viburnum opulus						Cyperus					
Cornus alternifolia						Viburnum						Cyperus					
Cornus amomum						Vitis riparia			X			Dactylis glomerata					
Cornus rugosa												Danthonia spicata					
Cornus stolonifera												Echinochloa crus-galli					
Corylus cornuta												Eleocharis erythropoda					
Crataegus monogyna												Eleocharis					
Crataegus punctata												Elymus virginicus					
Crataegus sp.												Elymus					
Crataegus												Festuca arundinacea					
Diervilla lonicera												Glyceria striata					
Fagus grandifolia	X											Glyceria					
Fraxinus americana	X											Juncus dudleyi					
Fraxinus nigra						FERNS						Juncus effusus					
Fraxinus pennsylvanica						Adiantum pedatum						Juncus tenuis					
Ilex verticillata						Athyrium filix-femina						Juncus					
Juglans cinerea						Botrychium multifidum						Juncus					
Juglans nigra						Botrychium virginianum						Leersia oryzoides					
Lonicera morrowi						Cystopteris bulbifera						Muhlenbergia					
Lonicera tatarica						Dryopteris carthusiana						Oryzopsis asperifolia					
Lonicera						Dryopteris cristata						Panicum					
Malus pumila	X					Dryopteris marginalis						Panicum					
Ostrya virginiana	X					Dryopteris						Phalaris arundinacea				X	
Parthenocissus inserta						Equisetum arvense						Phleum pratense					
Populus balsamifera						Equisetum hyemale						Phragmites australis					
Populus grandidentata						Equisetum variegatum						Poa compressa					
Populus tremuloides						Equisetum						Poa pratensis					
Populus deltoides	X					Gymnocarpium dryopteris						Poa					
Prunus pennsylvanica	X					Lycopodium digitatum						Scirpus atrovirens					
Prunus serotina	X					Lycopodium obscurum						Scirpus cyperinus					
Prunus virginiana	X					Lycopodium						Scirpus validus					
Prunus avium	X					Lycopodium						Scirpus					
Quercus macrocarpa						Matteucia struthiopteris						Scirpus					
Quercus rubra						Onoclea sensibilis						Setaria					
Quercus						Osmunda cinnamomea						Sparganium					
Rhamnus cathartica	X					Osmunda regalis						Typha angustifolia					
Rhus radicans						Polystichum acrostichoides						Typha latifolia					
Rhus typhina						Pteridium aquilinum						Typha X glauca					
Ribes americana						Thelypteris palustris											
Ribes cynosbati	X																
Ribes x rubrum																	
Robinia pseudo-acacia																	

Goshen Feature: 358 GSH11119/1166

Properties that contain Features within 125m from Collection lines and 171.5m from Turbines)

Nov 9/2014
James Komstra



October 28, 2011



- Roads
- Access/Collection Line
- Survey to be Completed
- Turbine Buffer (171.5m)

- ELC Survey Completed
- Turbine Buffer/Feature Intersect
- Property Fabric
- Goshen Wind Energy Centre

ORIGINAL

Leased
(Accessible)
GSH1005

Fencing Survey



FeD 5-2

NO ACCESS

Accessible

AOE=Yes

GSH1119

GSH1166

ROE=NO

12 GSH1118

353

GSH1120



VASCULAR PLANT LIST

PROJECT / LOCATION: FEATURE 361

SURVEYOR(S): E. Miller, R. Aitken

DATE(S): DEC. 12, 2011

POLYDOR 6.

VEGETATION TYPE:

NOTE: Vegetation composition is misleading Soils were not wet or moist.

Plant Species	ABUNDANCE / LAYER				Plant Species	Understory (U)	Ground Layer (GL)	Plant Species	Understory (U)	Ground Layer (GL)
	Canopy (C)	Sub-canopy (SC)	Understory (U)	Ground Layer (GL)						
Blue Jay										
Downy										
Goldfinch										
TREES										
ULM AMER		R	R		ALL PETI		O			
FRAXINUS SP.	O	D	A	O	SYM SP. CF. LATE		A			
TIL AMER	O		R		GEUM SP.		D			
FRA NIGR			O		SOL CF CANA		O			
THUOCCI			O	R	SYM LANG		R			
ACE NEGU		R	R		DAUCARO		R			
TSU CANA				R						
ACE FREE	R		R							
CARCARO			R							
SALIX SP.	R									
HERBACEOUS FLORA										
SHRUBS AND WOODY VINES										
JIBURNUM CE LENT			O							
VITRIPA			R							
RUB IDAE				O						
COR ALTE			A							
TOX RADI		A	A							
I ILEX VERT			D							
KILIA CATH			R							
SAM CANA			O							
ROS MUCT			R							
CORNUS OBLIQUA			R							

Relative Abundance: D = Dominant; A = Abundant; O = Occasional; R = Rare
Vegetation Height: C > 20m; SC = 10 - 20m; U = 2 - 10m; GL = < 2m

Page 1 of 1